

T. 5, R. 2 W. 1st Mer.

252	243 6 268 269	243 5 268 269	242 4 266 267	242 3 266 267	241 2 268 265	241 1 263 265	247
252	268 269 7	267 269 8	266 267 9	265 267 10	264 265 11	264 265 12	247
252	261 18	260 17	259 16	258 15	257 14	256 13	248
252	270 271 19	269 271 20	272 273 21	271 273 22	274 275 23	274 275 24	248
251	280 281 30	279 281 29	278 279 28	278 279 27	276 277 26	275 277 25	249
250	280 247 31	280 246 32	277 245 33	277 245 34	253 244 35	276 244 36	250

T. 6, R. 2 W. 1st Mer.

334	333 6 323	333 5 325	333 4 325	332 3 326	332 2 326	331 1 327	330
322	322 7	324 8	330 9	329 10	328 11	328 12	317
321	321 18	321 17	320 16	319 15	318 14	318 13	309
313	313 19	313 20	312 21	311 22	310 23	309 24	301
305	305 30	305 29	304 28	303 27	302 26	301 25	293
297	297 31	296 32	296 33	295 34	294 35	293 36	283
289	289	288	287	286	284	283	

T. 6. R. 2. W. 1st MerTownship No. 6 - Range No. 2. West 1st Mer.
Indiana

- North Commenced a survey of the 6th Township in 2nd Range West of the Meridian - From the South-East corner of the above Township, thence North
- 6.42 a Hickory tree 7 ins. dia. in the line
- 23.00 Begin to descend a hill
- 31.00 Descended a hill
- 32.50 Came to a Water course 20 lbs. wide, runs East
- 40.00 Passed over a hill to a Water course 3 lbs. wide, runs $S 20^{\circ} E$
- 52.59 Passed over a small hill to another water course 7 lbs. wide runs $S 72^{\circ} E$
- 59.55 a Water course 5 lbs. wide runs $S 70^{\circ} E$
- 70.65 a Sugar tree 13 ins. dia. in the line
- 80.00 over land somewhat uneven may be termed 3^d rate - ^{set stake} a Sugar tree 10 ins. dia. bears $N 15^{\circ} E$ 22 lbs. dist. & an Oak tree 20 ins. dia. bears $S 55^{\circ} W$ 31 lbs. dist. - Variation $4.30'$

- West From the South East corner of T. 6. R. 2. W. 1st Mer, thence West, from the corner stands a Sugar tree 8 ins. dia. bears $S 48^{\circ} W$ 7 lbs. dist. & another Sugar tree 14 ins. dia. bears $N 48^{\circ} W$ 46 lbs. dist. Marked & numbered to the plan.
- 3.20 a Locust tree 9 ins. dia. in the line
- 18.08 a Water course 12 lbs. wide runs $S 10^{\circ} W$
- 32.50 a small water course 3 lbs. wide, runs $N 30^{\circ} E$
- 40.00 over rough 3^d rate land, thinly timbered with Oak, Sugar tree, Hickory, &c. much underbrush. Set $\frac{1}{2}$ sec. post - a White Oak tree 15 ins. dia. bears $N 17^{\circ} W$ 65 lbs. dist. & a Sugar tree 12 ins. dia. bears $S 72^{\circ} E$ 44 lbs. dist. Marked half section

West Continue West

J. C. R. D. W. 1st Mer.

- 12.06 a Water course 12 lks. wide, runs $S 70^{\circ} E$
 14.08 a Black Oak tree 16 ins. dia. in the line
 20.116 a Black Walnut tree 20 ins. dia. in the line
 31.44 a Water course 4 lks. wide, runs $S 10^{\circ} E$
 38.60 comes to another water-course 6 lks. wide, runs $S 15^{\circ} E$
 39.41 a Black Walnut tree 18 ins. dia. in the line, it being
 made by me for corner of Sec. (No. 192. T. 5. R. 2)
 40.00 Over rough hilly land 3^d rate, Timbered with Oak
 Sugar tree, Walnut &c. Set stake at the corner
 of Sec. (No. 35 & 36 T. 6. R. 2. W. 2^d) a White Oak
 tree 28 ins. dia. bears $S 53^{\circ} W 12$ lks. dia. & an Elm
 tree 18 " " " $S 76^{\circ} E 17$ " "
 Marked & numbered to the plan. Var. $4^{\circ} 30'$

North From the corner of Sect. No 35 & 36. T. 6. R. 2. W
 thence North

- 2.00 a Water course 6 lks. wide runs $S 18^{\circ} E$
 10.40 a Do Do 4 " " " $S 20^{\circ} E$
 11.64 an Elm tree 10 ins. dia. in the line
 33.68 a Hickory tree 14 " " " " "
 41.61 a Water course 3 lks. wide runs $S 80^{\circ} E$
 49.50 a Do Do 3 " " " $S 78^{\circ} E$
 67.00 a White Oak tree 22 ins. dia. in the line
 69.40 a Water course 3 lks. wide, runs $N 60^{\circ} E$
 80.00 over 2^d rate land divided into small ridges of an
 easy ascent. Timbered with Oak Hickory, Sugar tree &c.
 much underbrush. Set stake at the corner of Sect.
 (No. 25. 26. 35 & 36 T. 6. R. 2. W. 2^d) a White Oak
 tree 20 ins. dia. bears $S 70^{\circ} E 19$ lks. dia. & a Hickory
 tree 12 " " " $S 28^{\circ} W 45$ lks. dia.
 Marked to the plan

West From the corner of Sect. (No. 35 & 36 thence West
 on the South boundary of T. 6. R. 2. W. 2^d

- 5.80 a Hickory tree 13 ins. dia. in the line
 12.15 a Water course 3 lks. wide, runs North

- 32.37 a Sugar tree 9 ins. dia. in the line
 33.50 a Water course 3 Mts. wide runs S 18 E
 40.00 Over land divided into small ridges of an easy ascent timbered with Oak, Ash, Sugar tree, &c. Spruce underbrush, much undergrowth - Set 1/2 Sec. post - a Sugar tree 10 ins. dia. bears S 3 E 34 Mts. dis. & another Sugar tree 7 " " " N 32 W 40 " " Marked half section

West Continue West

- 8.46 a small Water course, runs S 10 W
 12.45 a Sugar tree 12 ins. dia. in the line
 13.77 a Water course 3 Mts. wide runs S 15 E
 18.50 a Do Do 7 " " " S 16 E
 29.20 a White Oak tree 18 ins. dia. in the line
 32.42 Came to a stake set by Maj. Chambers for corner of Sec. No. 2 & 3. T. No. 5. R. No. 2. W. Dis
 37.18 a White Oak tree 14 ins. dia. in the line
 39.24 Came to a stake set by myself on the South Boundary of E. C. R. 2. W.
 40.00 over uneven land timbered with Oak, Hickory, Sugar tree &c. may be termed Prairie. Set stake at the corner of Sec. No. 34 & 35. E. C. R. 2. W. Dis a Hickory tree 13 ins. dia. bears N 63 W 18 Mts. dis. & a White Oak tree 24 ins. dia. bears S 64 E 57 Mts. dis. Mkt & not to the plan. Variation 432

North From the corner of Sec. No. 34 & 35. E. C. R. 2. W. thence North

- 3.79 a Water course 5 Mts. wide, runs S 50 W
 11.24 a White Oak tree 16 ins. dia. in the line
 17.00 a Water course 3 Mts. wide runs S 39 E
 29.92 a White Oak tree 24 ins. dia. in the line
 48.95 a Do Do Do 14 " " " " "
 58.75 a Water course 10 Mts. wide, runs N 30 W
 73.00 a Water course 10 " " " N 40 W

T. C. R. D. W. 1st Mer.

80.00 Over 2^d rate land, surface not rough but a little timbered with Oak, Hickory, Sugar tree &c. Set stake at the corner of Sect. (No. 26. 27. 34 & 35) a White Oak tree 16 ins. dia. bears N 69° E 15 Mts. dis. & another White Oak tree 12 ins. dia. bears S 53° W 12 Mts. dis. Marked & numbered to the plan

West From the corner of Sect. (No. 34 & 35. T. C. R. D. W. D.) thence West.

2.30 a Sugar tree 12 ins. dia. in the line
 4.00 Down a descent to a stream of water, or water course 9 Mts. wide, runs S 29° E
 5.50 another water course 3 Mts. wide runs S 10° E
 13.23 a Cherry tree 10 ins. dia. in the line
 26.41 passed over a gradual rise to a water course 3 Mts. wide, runs S 35° E
 27.00 Rising on easy ascent
 30.75 a Hickory tree 13 ins. dia. in the line
 40.00 Over level land, this half mile 2^d rate, timbered with Oak, Hickory & Sugar tree. Set 1/2 Sec. post. a White Oak tree 36 ins. dia. bears S 81° W 34 Mts. dis. & a Black Oak tree 16 ins. dia. bears N 75° E 19 Mts. dis. Marked half section

West. Continue West

4.28 a Water course 3 Mts. wide runs S 12° E
 4.40 Rising a small hill
 17.27 a White Oak tree 16 ins. dia. in the line
 25.00 Over good Wheat land, level enough
 29.40 Descended to a Water course 5 Mts. wide, runs S 30° W
 39.40 Passed over a hill to a Water course 5 Mts. wide, runs S 20° W in the East side of the Water course stands a stake set by me for the corners of Sect. (No. 3 & 4. T. 5. R. 2. W. D.)
 40.00 This half mile may be denominated 3^d rate land, or rather poor 2^d rate, timbered with Oak, Hickory &c.

Set stakes at the corners of Sec. No. 33 & 34. T. 6. R. 2. W.
from whence a Cherry tree bears S 9 E 75 lbs. dist. &
a Sugar tree 10 ins. dia. bears N 6 W 24 lbs. dist.
Marked & numbered to the plan. Var. 4.32

North From the corner of Sec. No. 33 & 34. T. 6. R. 2. W.
thence North

- 24.60 a Water course 5 lbs. wide, runs S 13 E
- 29.79 a Hickory tree 12 ins. dia. in the line
- 37.05 a White Oak tree 14 " " " "
- 65.50 a Water course 10 lbs. wide, runs N 25 W
- 75.50 a Hickory tree 11 ins. dia. in the line
- 80.00 Set post. The 1st 1/2 mile 2^d rate land, conveniently
level, the last 1/2 3^d rate land, & hilly. Timbered with
Oak, Hickory &c. Set stakes at the corners of Sec. No.
33. 34. 27 & 28 a Hickory tree 13 ins. dia. bears
S 62 W 85 lbs. dis. & a Walnut tree 12 ins. dia. bears
N 41 E 63 lbs. dist. Marked, numbered &c. 3^d rate.

West From the corner of Sec. No. 33 & 34. T. 6. R. 2. W. Dis
thence West

- 3.15 a Hickory tree 12 ins. dia. in the line
- 4.00 Passed over a small hill to a Water course 10 lbs.
wide, runs S 20 E
- 13.76 a Black Oak tree 14 ins. dia. in the line
- 26.60 a " " " " 26 " " " "
- 40.00 over 2^d rate land conveniently level. Timbered
with White Oak, Black Oak, Hickory &c. Set stake
at 1/2 sec. a White Oak tree 19 ins. dia. bears N 70 W
20 lbs. dis. & a Sugar tree 7 ins. dia. bears S 35 E 35 lbs. dis.
Marked half sec.

West Continue West

- 16.26 a Water course 4 lbs. wide runs S 45 W
- 24.65 an Elm tree 13 ins. dia. in the line
- 26.10 a Water course 10 lbs. wide, runs S 20 W

S. 6. R. 2. W. 1st Mer.

- 38.50 a Water course 40 lks. wide, runs nearly South
 39.75 came to a stake set by me as corners of sec. No. 4 & 5
 T. 5. R. 2. W. Dis
 40.00 set stake at the corner of sec. No. 32 & 33. T. 6. R. 2. W.
 Dis a White Oak tree 18 ins. dia. bears N 96° 28 lks. dist.
 & a Sugar tree 7 ins. dia. bears N 53° W 14 lks. dist.
 Measured to the directions. This is mile 3 rate land, very
 hilly — Variation 4.30

- North From the cor. of sec. No. 32 & 33. T. 6. R. 2. W. Dis thence N.
 8.20 descended a hill to a Water course 35 lks. wide, runs N 15° E
 9.00 Begin to rise a hill
 10.79 a White Oak tree 16 ins. dia. in the line
 17.30 a Water course 5 lks. wide, runs S 70° W having passed over hill
 18.00 Begin to rise a hill
 23.24 a Hickory tree 16 ins. dia. in the line
 38.20 a Water course 4 lks. wide, runs S 32° W
 40.00 over poor barren stony hills, covered with brush, some
 Oak & Hickory timber
 42.72 a Black Oak tree 24 ins. dia. in the line
 42.15 a Black Walnut tree 14 " " " " "
 80.00 over level 2 rate land, timbered with Oak, Hickory &c.
 much underbrush or growth. set stakes at the corners of
 sec. No. 28, 29, 32 & 33 — a White Oak tree 32 ins. dia. bears
 S 37° W 57 lks. dist. & another White Oak tree 30 " " "
 N 64° E 56 lks. dist — Measured &c.

- West From the corners of sec. No. 32 & 33. T. 6. R. 2. W. Dis
 thence W. on the S. Boundary of said Township
 11.15 Passed over a hill to a Water course 6 lks. wide, runs S 30° E
 13.16 a White Oak tree 13 ins. dia. in the line
 16.00 Rose a hill
 19.93 a White Oak tree 16 ins. dia. in the line
 31.50 a White Oak tree 13 ins. dia. in the line
 40.00 over land conveniently level, timbered with Oak
 Hickory &c. set stake, a White Oak tree 13 ins. dia

bears N 52 W 21 lrs. dis. & another W. Oak tree bears
S 55 W 32 lrs. dis. Marked 1/2 section

West Continue West

- 16.03 a White Oak tree 15 ins. dia. in the line
24.50 a Water course 15 lrs. wide runs S 25 W came over
D. rate land.
34.50 a Sycamore tree 18 ins. dia. in the line
34.60 a stream of water 50 lrs. wide, runs S 30 E.
40.00 over D. rate land. this 1/2 mile timbered with Oak, Hickory
sugar tree &c. Set post. a W. Oak tree 20 ins. dia. bears
N. E. 33 lrs. dis. & a sugar tree 7 ins. dia. bears S. W 32 lrs.
dis. Marked & numbered to the plan. — 18 lrs. West stands
a stake set by me for the corner of Sec. No. 5 & 6
J. C. R. D. W. Dis. Variation 4.30

West From the corner of Sec. No. 31 & 32 J. C. R. D. W. Dis
thence W. on the S. Boundary of said Township
commence rising a hill

- 9.50 passed over a hill to a Water course 6 lrs. wide N 45 E
18.26 a Hickory tree 14 ins. dia. in the line, over D. rate land
35.26 a White Oak tree 14 ins. dia. in the line
40.00 over D. rate land. This 1/2 mile timbered with Oak, Hickory
sugar tree &c. Set 1/2 sec. post. a White Oak tree 18 ins.
dia. bears N 48 W 27 lrs. dis. & a Dogwood tree 6 ins. dia.
bears S 22 E 17 lrs. dis. — Marked 1/2 sections

West Continue West

- 9.00 a Black Oak tree 18 ins. dia. in the line
10.55 a Hickory tree 14 " " " " "
17.71 a Hickory tree 12 " " " " "
21.00 a Water course 8 lrs. wide runs S 22 E
33.20 Over D. rate land. Timbered with Oak, sugar tree &c
38.58 came to the South West corner of J. C. R. D. W. Dis
a sugar tree 15 ins. dia. bears N 49 E 21 lrs. & a D. bears
S 61 W 51 lrs. dis. Var. 4.30

G. C. R. 2. W. 1st Mer.

North From the corners of Sec. No. 31 & 32 T. 6. R. 2. W. 2. thence North

- 3.54 a Water course 9 lks. wide runs East
 8.92 a Stream of water 50 lks. wide runs S 74 W
 14.00 In the water course
 14.60 Begin an ascent
 16.60 a Hickory tree 10 ins. dia. in the line
 23.00 Pass the hill
 34.95 a Sugar tree 16 ins. dia. in the line
 37.00 a Water course 8 lks. wide runs S 35 E
 49.50 a Do Do 3 " " " S 35 W
 53.70 a White Oak tree 20 ins. dia. in the line
 68.00 Came to Kibby's trace leading to post Vincennes
 80.00 Over-level land. This mile. This mile may be termed 2nd rate Timbered with Oak, Hickory &c. good soil for small grain a White Oak tree 16 ins. dia. stands for corner of Sec. (No. 29, 30, 31 & 32). T. 6. R. 2. W. 2. a Black Oak tree 24 ins. dia. bears S 41 E 27 lks. dist. & a White Oak tree 13 ins. dia. bears N 44 W 40 lks. dist.

East From the corners of Sec. No. 29, 30, 31 & 32 thence East & set up tally stakes

- 79.60 Came to a line run North from corners of Sec. No. 32 & 33. T. 6. R. 2. W. 2. & fell 15 lks. South from the end of that line

North From the corners of Sec. No. 32, 33, 28 & 29. thence North

- 9.22 a Black Oak tree 20 ins. dia. in the line
 17.25 a Water course 9 lks. wide runs N 85 E
 20.20 a Do Do 3 " " " N 70 E
 38.23 a White Oak tree 26 ins. dia. in the line
 63.00 a Stream of water 20 lks. wide runs East
 65.44 a White Oak tree 34 ins. dia. in the line

80.00 Over 2^d rate land, may be called level. Limbed with White Oak. Black Oak. Hickory &c. Set stake at the corner of Sect. (No. 20. 21. 28 & 29 a White Oak tree 12 ins. dia. bears S 79° W 8 lks. dist. & another White Oak tree 8 ins. dia. bears N 18° E 32 lks. dist. — Marked &c —

East. From the corner of Sect. (No. 28. 29. 32 & 33 thence East & set up tally stakes

79.52 Came to the end of a line run North from the corners of Sect. No. 33 & 34 T. C. R. I. W. Di & fell 33 lks. South from the end of said line

North. From the corners of Sect. No. 27. 28. 33 & 34 T. C. R. I. W. thence North —

Commence on descending ground.

3.00 Descend a hill to a stream of water 20 lks. wide — N 80° E

4.50 Begin to rise a hill

11.00 Rise the hill

31.50 a Black Oak tree 20 ins. dia. in the line

36.50 Came to Kilb's road

39.28 a Hickory tree 12 ins. dia. in the line

40.24 a Water course 5 lks. wide runs N 32° W

48.00 Came to the last mentioned water course 6 links wide runs N 25° E

48.72 a Sugar tree 13 ins. dia. in the line

57.70 a White Oak tree 17 ins. dia. in the line

62.10 a Water course 12 lks. wide runs East

63.00 Rising a steep hill

80.00 This mile may be termed good 3^d rate land. Broken with small hills. Limbed with Oak. Hickory &c. much small growth — Set stake at the corner of Sect. (No. 21. 22. 27 & 28 a Black Oak tree 20 ins dia. bears S 69° W 35 lks. dist. & another Black Oak tree 18 ins. dia. bears S 69° E 40 lks. dist. Marked and numbered

T. C. R. 2. W. 1st Mer

East From the corner of sec. (No. 27, 28, 33 & 34 thence East & set up tally stakes

80.15 Come to the end of a line run north from the corner of sec. (No. 34 & 35 - T. C. R. 2. W. Dis & fell 6 lks. South from the end of said line

North From the corner of sec. (No. 26, 27, 34 & 35, thence N.

6.18 a Hickory tree 15 ins. dia. in the line.

22.00 Over 2nd rate land conveniently level timbered with Oak and Hickory

22.50 Begin to descend a hill

36.00 a Water course 7 lks. wide runs N 45° W

36.70 Come to Hibbs's road

37.00 Begin to rise a hill

48.70 a White Oak tree 14 ins. dia. in the line

58.00 Passed over a hill to a Water course 8 lks. wide, runs N 47° W

58.20 Rising a hill

80.00 Over very hilly barren land, thinly timbered with Oak & Hickory - Last 1/2 mile stony - Set stake at the corners of sec. (No. 22, 23, 26 & 27, T. C. R. 2. W. Dis a Sugar tree 8 ins. dia. bears N 37° E 32 lks. dis. & a Walnut tree 15 .. " " S 27° W 40 lks. dis. 3rd rate.

East From the corners of sec. (No. 26, 27, 34 & 35, thence East & set up tally stakes

79.02 Come to the end of a line run North from the corners of sec. (No. 35 & 36 T. C. R. 2. W. Dis & fell 32 links North from the end of said line

North From the corners of sec. (No. 35 & 36. T. C. R. 2. W. thence North

5.97 a White Oak tree 10 ins. dia. in the line

22.50 a Water course 7 lks. wide runs N 45° W

33.00 a Do Do 10 .. " " N 30° E

G. C. R. D. W. 1st Mer.

38.00 Came to Kibby's road
 44.00 a Water course 6 Mts. wide runs East
 53.50 a Do Do 5 " " " \$20 E
 56.70 a Black Oak tree 12 ins. dia. in the line
 62.05 a Do Do " 20 " " " " "
 80.00 over-hilly 3^d rate land, thinly timbered with Oak
 & Hickory, much underbrush, set stakes at the corners
 of Sect. (No. 23, 24, 25 & 26. M. C. R. D. W. - a White
 Oak tree 20 ins. dia. bears \$16 W 7 Mts. dist. & another
 White Oak tree 28 ins. dia. bears \$30 E 38 Mts. dist.
 Marked & numbered.

East From the corners of Sect. (No. 35 & 36 M. C. R. D. W. & Co.
 thence East & set up tally stakes

79.88 Came to the end of a line run North from the corner
 of Sect. (No. 36 or from the South East corner of M. C. R.
 D. W. D. & fell 29 Mts. North

North From the corners of Sect. (No. 25 & 36 M. C. R. D. W. D. & Co.
 thence North on the E. boundary of said Township

0.50 Came to a Water course 6 Mts. wide runs \$65 E
 1.50 Rising a hill
 9.04 a Sugar-tree 12 ins. dia. in the line
 26.21 a Sugar-tree 13 " " " " "
 29.53 a small water course 3 Mts. wide runs \$75 E
 40.60 a " " " 3 " " " \$72 E
 48.50 Came to Kibby's trace
 46.68 a White Oak tree 28 ins. dia. in the line
 80.00 Over 2^d rate land, gradually rising & falling. Timbered
 with Oak, Hickory, Sugar-tree &c. Set stake a White
 Oak tree 16 ins. dia. bears \$15 E 24 Mts. dist.
 Marked & numbered. Variation 4.30

West From the corner of Sect. (No. 25 & 36. M. C. R. D. W. D. & Co.
 thence West to the corners of Sect. (No. 25, 26, 35 & 36
 16.16 a White Oak tree 28 ins. dia. in the line

G. C. R. L. W. 1st Mer.

- 29.15 a Sugar tree 16 ins. dia. in the line
 39.94 Over level 2nd rate land timbered with Oak. Hickory, Sugar tree &c. much undergrowth. Set 1/2 sec. post at the intermediate distance - A Hickory tree 13 ins. dia. bears S 1/2 E 13 lbs. dis. & another Hickory tree 12 ins. dia. bears N 1/2 E 16 lbs. dis. Marked half sections.

West Continue West

- 7.75 a Sugar tree 15 ins. dia. in the line
 11.94 a Water course 3 lbs. wide runs North
 16.45 a Black Oak tree 19 ins. dia. in the line
 25.13 a White Oak tree 18 " " " " "
 38.12 a Water course 5 lbs. wide runs N 26 W
 39.94 Over 3rd rate land rising & falling over a succession of small hills. Timbered with Oak. Hickory &c. came to the corners of Sec. (Nos. 25. 26. 35 V 36. 12. 6. R. 2. W. Dis a White Oak tree 20 ins. dia. bears S 70 E 19 lbs. dis. & a Hickory tree 12 " " " N 28 W 45 " " Marked &c.

West From the corners of Sec. (Nos. 25. 26. 35 V 36. thence West to the corners of Sec. (Nos. 26. 27. 34 V 35. G. C. R. L.

- 8.00 a Black Oak tree 20 ins. dia. in the line
 14.00 a Water course 6 lbs. wide runs N 30 W
 15.76 a White Oak tree 18 ins. dia. in the line
 27.78 a Sugar tree 16 ins. dia. in the line
 28.00 a Water course 4 lbs. wide runs N 15 W
 39.10 a Do Do 4 " " " N 15 E
 39.57 Over 3rd rate land thinly timbered with Oak. Hickory &c. much underbrush. Set stakes at the intermediate dis. a Sugar tree 7 ins. dia. bears N 60 W 8 lbs. dis. & another Sugar tree 8 " " " N 22 E 13 lbs. dis. Marked & numbered to the plan

West Continue West

- 3.00 Rising a hill

J. C. R. D. W. 1st Me.

- 8.58 a Water course 3 lks. wide runs S 50 E
 9.56 a Hickory tree 15 ins. dia. in the line
 18.64 a White Oak tree 30 " " " "
 23.77 a White Oak tree 30 " " " "
 38.00 a small water-course runs S 65 E
 39.51 Over thin poor land. Timbered with Oak, Hickory & broken hilly surface - came to the corners of sec. No. 26, 27, 34 & 35. J. C. R. D. W. Sec. from whence a White Oak tree 16 ins. dia. bears N 69 E 15 lks. dis. & another White Oak tree 12 ins. dia. bears S 53 W 12 lks. dis. Marked & numbered to the plan

West From corners of sec. No. 26, 27, 34 & 35 J. C. R. D. W. Sec. thence West to the corners of sec. No. 27, 28, 33 & 34

- 4.50 a Water course 8 lks. wide runs N 15 W
 5.12 a Sugar tree 14 ins. dia. in the line
 18.10 a Water course 10 lks. wide, runs North
 28.00 came to a Water course 9 lks. wide runs North & joins a large one 2 lks. 50 lks. North of this
 32.50 a Water course 25 lks. wide runs N 70 E
 40.07 over rough hilly 3rd rate land. thinly timbered with Oak, Hickory &c. Set 1/4 sec. post a Hickory tree 10 ins. dia. bears S 7 E 13 lks. dis. & a Sugar tree 6 ins. dia. bears N 9 E 25 lks. dis. Marked half sec.

West Continued West

- 00.70 a Water course 4 lks. wide runs S 45 E
 6.70 a Walnut tree 13 ins. dia. in the line
 20.00 a White Oak tree 20 " " " "
 23.00 a Water course 20 lks. wide runs S 30 E
 40.07 over hilly 3rd rate land. poor soil. thinly timbered with Oak & Hickory, much underbrush. came to the corners of sec. No. 27, 28, 33 & 34. J. C. R. D. W. Sec. - from the former stands a Hickory tree 13 ins. dia. bears S 62 W 85 lks. dis. & a Walnut tree 12 ins. dia. bears N 41 E 63 lks. dis. Marked & numbered to the plan

G. C. R. D. W. 1st Nov.

West From the corners of Sec. No. 27. 28. 33 & 34 G. C. R. 2
thence W. to the corners of Sec. No. 28. 29. 32 & 33.

- 2.50 a Water course 9 lks. wide runs North
17.79 a Black Oak tree 17 ins. dia. in the line
28.57 a White Oak tree 18 " " " "
39.76 Over land conveniently level, gradually rising & falling
2nd rate. Timbered with Oak, Hickory & Sugar tree.
Set 1/2 sec. post at the intermediate distance - a Black
Oak tree 13 ins. dia. bears S 79° W 24 lks. dis. & a Hickory
tree 5 ins dia. bears N 21° E 36 lks. dis. —
Marked half sections —

West Continue West

- 5.95 a White Oak tree 16 ins. dia. in the line
7.50 a Water course 8 lks. wide runs N 25° W
12.90 a Black Oak tree 13 ins. dia. in the line
14.40 a Water course 3 lks. wide runs N 20° E
20.00 over 3rd rate land, rough surface
39.76 Came to the corners of Sec. No. 28. 29. 32 & 33 G. C. R. 2.
W. Dis Passed over 2nd rate land, timbered with Oak
& Hickory &c. level surface - From this corner stands a
White Oak tree 32 ins. dia. bears S 37° W 57 lks. dis. &
another White Oak tree 30 ins. dia. bears N 64° E 56 lks. dis

West From the corners of Sec. No. 32. 33. 28 & 29 thence West
to the corners of Sec. 31. 32. 29 & 30. G. C. R. 2. W. Dis

- 14.10 a White Oak tree 28 ins. dia. in the line
31.58 a Water course 3 lks. wide runs South
38.10 Came to Kibbey's road bears S 70° W
39.00 a Hickory tree 14 ins. dia. in the line
39.80 over 2nd rate land of an easy changing surface. Timb.
with Oak, Hickory &c. good land for small grain,
Set 1/2 sec. post at the intermediate distance - a White
Oak tree 14 ins. dia. bears N 77° W 39 lks. dis. & another
White Oak tree 13 ins. dia. bears S 60° E 48 lks. distant

Marked & No.

West Continue West

- 0.80 a Stream of water 16 lbs. wide, runs S 30 E
 2.00 Rising an easy ascent
 3.50 a B. Oak tree 16 ins. dia. in the line, over the ascent
 20.00 a White Oak tree 38 ins. dia. in the line
 29.33 a White Oak tree 13 " " " " "
 39.80 Over level 2nd rate land, well timbered with White Oak
 Black Oak & Hickory. Came to the corners of fec. No.
 29. 30. 31 & 32. E. C. R. D. W. Dis. from which stands a
 Black Oak tree 24 ins. dia. bears S 41 E 27 lbs. dist. & a White
 Oak tree 13 ins. dia. bears N 44 W 40 lbs. dis.
 Marked & numbered to the plan

West From the corners of fec. No. 29. 30. 31 & 32. thence West

- 13.43 a Black Oak tree 24 ins. dia. in the line
 30.15 a Hickory tree 12 " " " " "
 40.00 over level 2nd rate land, timbered with Oak & Hickory
 good soil for small grain, set 1/2 sec. post. a White Oak
 tree 36 ins. dia. bears S 59 E 42 lbs. dis. & a Hickory tree 14
 ins. dia. bears S 62 W 20 lbs. dis. Marked half sections

West Continue West

- 1.50 a Water course runs S 40 E 4 lbs. wide
 6.50 a White Oak tree 30 ins. dia. in the line
 17.76 a Hickory tree 14 " " " " "
 33.00 over 3rd rate land.
 37.10 Came to the West Boundary of E. C. R. D. W. Dis.
 set stakes at the corners of fec. No. 30 & 31. E. C. R. D.
 a White Oak tree 10 ins. dia. bears N 17 W 11 lbs. dis. &
 a Hickory tree 13 ins. dia. bears S 31 E 13 lbs. dist.
 Corners of fec. No. 36 & 25 E. C. R. D. 3. stands 6.14 lbs.
 North- 3rd rate

North From the corner of fec. No. 29. 30. 31 & 32. thence North

- 11.59 a Water course 3 lbs. wide runs N 50 E

J. C. R. D. W. 1st Mer.

- 24.00 a Water course 9 Mts. wide runs S⁶⁰E
 35.77 a Black Oak tree 17 ins. dia. in the line
 40.20 a Water course 13 Mts. wide, runs East
 42.30 a Black Oak tree 15 ins. dia. in the line
 54.58 a White Oak tree 24 " " " "
 72.00 a Poplar tree 10 ins. dia. in the line
 72.20 a Water course 4 Mts. wide runs S⁶⁰E
 80.00 Over 2^d rate land sufficiently well timbered with Oak
 Hickory &c. Set stakes at the corners of Sec. (No. 29.30.
 19.20. J. C. R. D. W. Dis - a White Oak tree 36 ins. dia.
 bears N⁵⁰E 36 Mts. dist. & another White Oak tree 13 ins.
 dia. bears S⁵⁰W 7 Mts. dist. - Marked &c.

East Proceed East to the end of the last mentioned line &
 set up tally stakes

- 79.30 Came to the end of a line run North from the corner
 of Sec. (No. 28.29.32 & 33 & fell North from the end
 of that line 14 links

- North From the corners of Sec. (No. 20.21.28 & 29. Thence North
 10.47 a Black Oak tree 15 ins. dia. in the line
 35.75 a Water course 3 Mts. wide runs N⁵⁰E
 36.50 a Hickory tree 17 ins. dia. in the line
 40.00 Over level 2^d rate land
 48.50 a Water course 3 Mts. wide runs N³2E
 50.60 a Do Do 5 " " " S⁸⁰E
 68.59 a Black Oak tree 14 ins. dia. in the line
 74.00 Came to a stream of water 15 Mts. wide runs E.
 80.00 Rose a gradual ascent. The last 1/2 mile poor 2^d rate
 land, gradually rising & falling. This mile timbered
 with Oak & Hickory. Some Spruce Proudh - Set stakes
 at the corners of Sec. (No. 16.17.20 & 21 J. C. R. D. W. Dis
 a Hickory tree 12 ins. dia. bears S⁸⁷W 21 Mts. dist. & a
 Hickory 16 ins. dia. bears S⁸³W 46 Mts. dist.
 Marked and numbered.

East From the corners of Sec. (No. 20. 21. 28 & 29 J. C. R. D. W. thence East & set tally stakes

79.02 came to the corner of a line run North from the corner of Sec. (No. 21. 28. 33 & 34 J. C. R. D. W. D^{is} & fell 52 lks. North from the end of said line

North From the corner of Sec. (No. 21. 22. 27 & 28. thence North

5.70 a Gum tree 18 ins. dia. in the line

19.06 a White Oak tree 14 ins. dia. came over level land & begin to descend a hill

27.00 a Water course 4 lks. wide runs N 48° E

27.77 a White Oak tree 17 ins. dia. in the line

30.50 a Water course 3 lks. wide runs N 70° E

33.00 rose a small hill very steep

37.40 a Water course 6 lks. wide runs N 60° E

48.00 a Do Do 15 " " " East

54.50 a Do Do 3 " " " S 10° W

63.02 a Hickory tree 23 ins. dia. in the line

75.05 a White Oak tree 25 ins. dia. in the line

80.00 over hilly & rough land. Timbered with Oak.

Hickory & some Sugar tree - set stake at the corner of Sec. (No. 15. 16. 22 & 23. J. C. R. D. W. D^{is} a White Oak tree 13 ins. dia. bears N 48° W 46 lks. dist. & a Black Oak tree 15 ins. dia. bears S 25° W 12 lks. distant Measured &c.

East From the corner of Sec. (No. 21. 22. 27 & 28 J. C. R. D. W. thence East

80.48 came to the end of a line run North from the corner of Sec. (No. 26. 27. 34 & 35. & fell South of the end of that line 46 links.

North From the corners of Sec. (No. 22. 23. 26 & 27. thence North

1.90 a Water course 5 lks. wide runs N 40° W

5.92 a Hickory tree 14 ins. dia. in the line

14.50 passed over a hill to a Water course 14 lks. wide, runs E.

J. C. R. L. W. 1st Mer.

- 20.50 Came to the main branch of Tanner's creek 80 lbs.
wide runs S⁷⁵E
- 22.15 a Sugar tree 12 ins. dia. in the line
- 30.00 Rose a steep hill
- 36.10 a Water course 4 lbs. wide runs S⁷⁵E
- 39.46 a White Oak tree 24 ins. dia. in the line
- 66.57 a White Oak tree 38 " " " "
- 67.00 Over rough hilly 3rd rate land.
- 80.00 over 3rd rate land. This mile timbered with Oak,
Michigan & Sugar tree, set stake at the corners of Sect.
No. 14, 15, 22 & 23. J. C. R. L. W. D's a Black Oak tree
20 ins. dia. bears S⁴³W 17 lbs. dia. & another Black Oak
16 " " " N³¹E 57 lbs. dia. — Marked &c. 3rd rate

- East (From the corners of Sect. No. 22, 23, 26 & 27. J. C. R. L. W. D's
thence East & set latby stakes
- 80.15 Came to a line runs North from the corners of Sect.
No. 25, 26, 35 & 36 & fell 34 lbs. South from the end
of said line

North From the corners of Sect. No. 23, 24, 25 & 26. Thence North
Commence on level land.

- 12.00 over level land
- 18.00 a Water course 5 lbs. wide runs N³⁰W
- 27.30 a White Oak tree 40 ins. dia. in the line
- 41.45 a " " " 40 " " " "
- 50.00 over 2nd rate land surface gradually rising & falling
- 59.50 Descended a hill to the main fork of Tanner's creek,
1 chain wide, runs East
- 69.00 over the point of a hill to a Water course 11 lbs.
wide, runs S⁷⁰E
- 70.00 Rising a hill
- 76.00 Rose a stony hill
- 76.47 a White Oak tree 12 ins. dia. in the line
- 80.00 over 3rd rate land. This mile generally timbered with
Oak & Michigan set stake at the corners of Sect. No. 13.

14.23 V 24 S. C. R. D. W. Dis a Black Oak tree 18 ins. dia. bears S 15 E 60 lbs. dist. & a Hickory tree 12 ins. dia. bears N 52 W 35 lbs. dist. — Marked to the plan

East From the corners of Sec. (No. 25. 26. 23 V 24 thence East & set up tally stakes

80.15 Came to a line run North from the corners of Sec. No. 25 V 26. S. C. R. D. W. Dis & fell 12 lbs. South from the end of that line — a post 5 chs. & 20 lbs. North as the old line set by Maj. Chambers

North From the corners of Sec. (No. 24 V 25. thence North on the Township line

5.20 Came to a corner set by Maj. Chambers

9.72 a White Oak tree 24 ins. dia. in the line

16.00 Over level land, begin to descend

38.50 Descended a hill to a water course 12 links wide, runs N 80 E

45.80 a Blue Oak tree 18 ins. dia. in the line

49.50 Crossed main branch of Cannons creek 1 chain & 20 lbs. wide, runs S 80 E

52.50 Begins to rise a hill

59.10 a Black Oak tree 17 ins. dia. in the line

65.00 Rose the hill

80.00 over land composed of small ridges. This mile generally timbered with White Oak, Black Oak, Hickory, Sugar tree & — set stake at the corners of Sec. (No. 13 V 24 S. C. R. D. W. Dis a White Oak tree 9 ins. dia. bears S 61 E 43 lbs. dist. & a Hickory tree 14 ins. dia. bears N 49 W 31 lbs. dist. — Marked & numbered to the plan
3^d note. Variation 4.30

West From the corners of Sec. (No. 24 V 25 S. C. R. D. W. Dis thence West to the corners of Sec. (No. 23. 24. 23 V 26 From the corners of Sec. (No. 24 V 25, bears a White Oak tree 30 ins. dia. 34 lbs. dis. S 26 W & another

S. C. R. I. W. 1st Mer

White Oak tree 15 ins. dia. bears S 45 E 55 lbs. dist.
 Marked & numbered

- 2.50 Begin to ascend a hill
 7.50 a Water course 4 lbs. wide, runs N 30 W
 14.56 a White Oak tree 13 ins. dia. in the line
 20.75 passed over a hill to a Water course 5 lbs. wide
 runs N 16 W
 21.70 an Elm tree 10 ins. dia. in the line
 30.00 passed over a hill to a Water course 20 lbs. wide
 runs North
 40.07 Rose a hill to a Water course last mentioned
 (This 1/2 mile very rough & rate land. timbered with
 Oak, Hickory &c. Set 1/2 sec. post at the intermediate
 distance. a White Oak tree 13 ins. dia. bears N 48 W
 8 lbs. dis. & a Buckeye tree 13 ins. dia. bears S 53 E
 16 lbs. dis. Marked 1/2 sec.

West Continue West

- 10.66 a Water course 3 lbs. wide. runs S 30 E
 14.59 a Hickory tree 13 ins. dia. in the line
 20.45 a Black Oak tree 17 ins. dia. in the line
 35.20 a Water course 3 lbs. wide runs North
 40.07 Over prairie land. level surface. Timbered with
 White Oak, Black Oak Hickory &c. Came to the
 corners of sec. No. 23. 24. 25 & 26. S. C. R. I. W. Dis
 from where stands a White Oak tree 20 ins. dia.
 bears S 66 W 7 lbs. dis. & another White Oak tree 28 ins.
 dia. bears N 30 E 38 lbs. dis. —
 Marked to the plain

West From the corners of sec. No. 23. 24. 25 & 26. Thence
 West to the corners of sec. No. 22. 23. 24 & 26.

- 6.60 a Water course 3 lbs. wide, runs North
 11.60 a White Oak tree 14 ins. dia. in the line
 14.75 a Water course 3 lbs. wide, runs N 10 E
 24.90 a Do Do 4 " " " N 12 W

T. C. R. D. W. 1st Mer.

- 30.43 a Black Oak tree 20 ins. dia. in the line
 35.50 a Water course 7 lks. wide, runs N 15 W
 40.07 Over 3^d rate land being a succession of hills, tim-
 bered, with Hickory & Oak - Set 1/2 sec. post at the
 intermediate distance - a White Oak tree 30 ins.
 dia. bears N 75 W 8 lks. dis. & a Hickory tree 12 ins.
 dia. bears S 46 E 7 lks. dis. Marked &c.

West Continue West

- 1.65 a Water course 3 lks. wide, runs North
 6.70 a Do Do 3 " " " N 60 E
 11.62 a Do Do 3 " " " N 10 E
 13.00 a Mulberry tree 8 ins. dia. in the line
 20.50 a Hickory tree 15 " " " " "
 24.59 a Water course 1 1/2 lks. wide, runs N 5 E
 40.07 Over poor 3^d rate land, composed of a succession
 of hills, poor thin soil, timbered with Oak & Hickory
 Came to the corner of Sec. No. 22, 23, 26 and 27
 T. C. R. D. W. Sec. from the corner stands a Sugar
 tree 8 ins. dia. bears N 37 E 32 lks. dis. & a Walnut
 tree 15 " " " S 2 W 40 lks. dist.

West From the corner of sec. No. 22, 23, 26 & 27, thence West to the corners of sec. (No. 21, 22, 27 & 28 T. C. R. D. W. Sec.

- 4.50 descended a hill to a Water course 20 lks. wide
 runs N 10 E
 7.00 Begin to rise a steep hill
 8.74 a Sugar tree 12 ins. dia. in the line
 15.00 Rose the hill, came over 3^d rate land
 24.10 a White Oak tree 30 ins. dia. in the line
 35.06 a White Oak tree 26 " " " " "
 40.24 Over 2^d rate land conveniently level. Timbered
 with Oak, Hickory, Sugar tree &c. Set 1/2 sec. post
 at the intermediate distance - a White Oak tree 12
 ins. dia. bears N 20 W 22 lks. dis. & another Do. 13 ins. dia.

J. C. R. I. W. 1st Mer.

bears S 25° W 18 lks. dis. - Marked 1/2 Sec. 3rd rate.

West Continue West

- 1.50 Begin to descend a hill
 7.00 descended steep hill to water course 13 lks. wide, runs N.
 7.50 Begin to rise steep hill
 9.11 a Walnut tree 16 ins. dia. in the line
 15.00 Rose the hill
 16.20 a White Oak tree 18 ins. dia. in the line
 40.21 Came to the corners of Sect. No. 21, 22, 27 & 28. J. C. R. I. W.
 W. D. passed over 3rd rate land, rough surface, timbered
 with Oak, Hickory, Sugar tree &c, from the corner of Black
 Oak tree 20 ins. dia. bears N 69° W 35 lks. dis. & a Black Oak
 tree 18 ins. dia. bears N 69° E 40 lks. dis. Marked 1/2 Sec.

West From the cor. of Sect. No. 21, 22, 27 & 28. thence West to the
 Cor. of Sect. No. 20, 21, 28 & 29. J. C. R. I. W. D.

- 9.30 a White Oak tree 15 ins. dia. in the line
 9.50 a Water course 3 lks. wide, runs South
 17.00 a Do Do 10 " " " S 56° E
 21.77 a Black Oak tree 24 ins. dia. in the line
 33.40 a White Oak tree 36 " " " " "
 39.30 a Water course 3 lks. wide. runs North
 39.51 Over 2nd rate land, conveniently level, timbered with W.
 Oak, B. Oak. Hickory &c. Set stake at the intermediate
 dis. a W. Oak tree bears S 41° W 37 lks. dis. & a B. Oak tree
 14 ins. dia. bears N 21° E 27 lks. dis. Marked half Sec

West Continue West

- 8.50 a Black Oak tree 18 ins. dia. in the line
 22.42 a White Oak tree 36 " " " " "
 38.11 a White Oak tree in the line
 39.51 Over level 2nd rate land well timbered with W. Oak. B. Oak. &c.
 Came to the corners of Sect. No. 20, 21, 28 & 29. J. C. R. I. W.
 from whence stands a W. Oak tree 12 ins. dia. bears N 19° W
 8 lks. dis & another White Oak tree 8 ins. dia. bears N 18° E

32 lbs. dis. Marked & numbered to the plan

West From the corners of Sec. (No. 20, 21, 28 & 29 thence W. to the
cor. of Sec. No. 19, 20, 29 & 30 - S. C. R. I. W. Dis

- 4.30 a Water course 3 lbs. wide runs S 20 E
- 10.52 a Black Oak tree 26 ins. dia. in the line
- 26.00 a Black Oak tree 15 " " " " "
- 32.00 Came to a stream of water 13 lbs. wide runs S 30 E,
came over level land
- 39.65 Over land, conveniently level well timbered with Oak
& Hickory - Set $\frac{1}{4}$ sec. post at the intermediate dis. a White
tree 13 ins. dia. bears S 21 W 10 lbs. dis. & a W. Oak tree 10 ins. dia.
bears N 10 E 17 lbs. dis. Marked $\frac{1}{4}$ Sec. - 2^d rate

West Continue West

- 3.50 a Black Oak 16 ins. dia. in the line
- 8.50 a Water course 15 lbs. wide runs 30 lbs. N. of this
- 19.50 a White Oak tree 14 ins. dia. in the line
- 39.65 Over level land well timbered with W. Oak, B. Oak, Hickory &c.
2^d rate land. came to the corners of Sec. (No. 20, 29, 19 & 30
S. C. R. I. W. Dis from whence a W. Oak tree 36 ins. dia. bears
N 50 E 36 lbs. dis. & a W. Oak tree 13 ins. dia. bears S 50 W
7 lbs. dis. Marked & numbered to the plan. 2^d rate

West From the corner of Sec. (No. 19, 20, 29 & 30 thence West

- 11.55 a Black Oak tree 26 ins. dia. in the line
- 18.60 a Water course 3 lbs. wide runs S 20 E
- 25.55 a Hickory tree 16 ins. dia. in the line
- 40.00 Over level land well timbered with W. Oak, B. Oak Hickory
&c. 2^d rate. Set $\frac{1}{4}$ sec. post. a Hickory tree 13 ins. dia. bears
S 72 W 16 lbs. dis. & a B. Oak tree 26 ins. dia. bears N 62 E
57 lbs. dis. Marked half Sec.

West Continue West

- 6.10 a Water course 3 lbs. wide runs S 30 E
- 8.00 a White Oak tree 40 ins. dia. in the line

S. C. R. I. W. 1st Mer.

18.93 a White Oak tree 40 ins. dia. in the line
 36.50 Came to West Boundary of S. C. R. I. W. Dis. set
 stake at the corner of Sec. No. 19 & 30. a Maple tree
 12 ins. dia. bears N 36 E 23 lks. dis. & White Oak tree 16
 ins. dia. bears S 73 W 34 lks. dis. Marked to the plan
 This 1/2 mile level timber Oak. Hickory, maple &c
 Q rate land - 6 chains & 20 lks. North a stake at the
 corner of Sec. No. 24 & 25. T. 7. R. 3

North From the cor. of Sec. No. 19. 20. 29 & 30 thence North
 41.50 a Water course 7 lks. wide runs N 70 E
 5.00 a Black Oak tree 18 ins. dia. in the line
 28.41 a " " " 16 " " " "
 40.00 a Water course 5 lks. wide runs N 60 E
 53.40 a Do Do 5 " " " S 80 E
 80.00 Over Q rate land, level surface, timbered with Oak
 Hickory &c. Set stake at the corner of Sec. No. 17. 18.
 19 & 20 - a White Oak tree 15 ins. dia. bears S 28 E
 50 lks. dis. & Another White Oak tree 13 ins. dia. bears
 N 39 W 8 lks. dis. - Marked & numb. to the plan

East From the corners of Sec. No. 17. 18. 19 & 20 S. C. R. I.
 W. Dis. thence East & set tally stakes
 19.73 Came to the end of a line run North from the corner
 of Sec. No. 20. 21. 28 & 29 & fell 5 lks. South from the
 end of said line

North From the corners of Sec. No. 16. 17. 20 & 21. thence N.
 11.57 a Water course 3 lks. wide runs N 80 E
 11.92 a Do Do 3 " " " S 78 E
 21.32 a Black Oak tree 22 ins. dia. in the line
 40.25 a Water course 5 lks. wide, runs N 50 E
 44.85 a Hickory tree 13 ins. dia. in the line
 45.00 Over Q rate land, of an easy changing surface
 52.50 Down a hill to a Water course 14 lks. wide, runs
 N 80 E

- 52.70 Begin to rise steep hill
 59.50 a Water course 3 lks. wide runs East
 65.10 a Hickory tree 12 ins. dia. in the line
 80.00 Over rough hilly land, may be termed 3^d rate. This
 mile timbered with White Oak, Black Oak Hickory,
 & a small proportion of Sugar - set stake at the
 corners of Sect. (No. 8. 9. 16 & 17. S. C. R. Q. W. D's
 a Sugar tree 9 ins. dia. bears N 22 W 22 lks. dist. & another
 Sugar tree 8 ins. dia. bears S 76 E 31 lks. dist.
 Marked to the plan

East From the corners of Sect. (No. 16. 17. 20 & 21 S. C. R. Q. W. D's
 thence East & erect tally stakes

- 79.72 Came to the end of a line, run North from the
 corner of Sect. (No. 20. 21. 27 & 28. S. C. R. Q. W. D's &
 fell 36 lks. north from the end of that line

North From the corners of Sect. (No. 15. 16. 21 & 22. S. C. R. Q.
 thence North

- 8.00 a Water course 6 lks. wide runs East
 19.15 a Sugar tree 13 ins. dia. in the line
 23.00 Came to the main fork of Lanner's Creek 1 chain
 wide, passed over rough hilly land.
 28.62 a Hickory tree 14 ins. dia. in the line
 37.00 Rose a long hill, land may be termed 3^d rate
 80.00 Over land of a waving surface gradually rising &
 falling, may be termed 2^d rate. This mile timbered
 with Oak, Sugar tree, Hickory &c. set stake at the
 corners of Sect. (No. 9. 10. 15 & 16 - a White Oak tree
 18 ins. dia. bears N 28 E 61 lks. dist. & another White
 Oak tree 22 ins. dia. bears N 19 W 33 lks. dist. 3^d rate

East From the corners of Sect. (No. 15. 16. 21 & 22. thence
 East & set up tally stakes

- N. 36 Came to the end of a line run North from the corner
 of Sect. (No. 22. 23. 26 & 27 - S. C. R. Q. W. D's & fell

J. C. R. D. W. 1st Mer.

32 lks. North from the end of said line

North From the corners of Sec. (No. 14, 15, 22 & 23. Thence N.

3.50 a Water course 4 lks. wide runs S 15° E

20.30 a White Oak tree 14 ins. dia. in the line

29.87 " " " " 30 " " " " "

38.50 a Water course 8 lks. wide runs S 42° E

57.40 a White Oak tree 14 ins. dia. in the line

10.00 Over land composed of small ascents & descents,
 Timber with Black Oak, White Oak, Hickory &
 good 3^d rate land or poor 2^d rate. Set stake at the
 corners of Sec. (No. 10, 11, 14 & 15. a Walnut tree 14
 ins. dia. bears N 49° E 37 lks. dist. & a Black Oak
 tree 20 ins. dia. bears S 63° W 43 lks. dis. —
 Marked to the plan

East From the corner of Sec. (No. 14, 15, 22 & 23. Thence
 East & set up tally stakes

80.10 Came to the end of a line run North from the
 corner of Sec. (No. 23, 24, 25 & 26. J. C. R. D. W. Co.
 & fell 12 lks. North from the end of said line

North From the corners of Sec. (No. 13, 14, 23 & 24 Thence N.

31.00 over level 2^d rate land

31.50 Begin to descend a hill

37.00 a Water course 5 lks. wide runs S 85° E

49.15 a White Oak tree 16 ins. dia. in the line

58.00 a Water course 9 lks. wide runs S 48° E

66.72 a White Oak tree 30 ins. dia. in the line

73.04 a Black Oak tree 13 " " " " "

80.00 Over broken points of hills. Timber with Oak &
 Hickory. Timber chiefly killed with fire, poor
 soil 3^d rate land. Set stake at the corner of Sec.
 (No. 11, 12, 13 & 14 J. C. R. D. W. Co. a Hickory tree
 10 ins. dia. bears N 22° W 50 lks. dis. & a White Oak
 tree 10 ins. dia. bears N 17° W 53 lks. dis. —

Marked & numbered

East From the corners of Sect. No. 13, 14, 23 & 24 thence East & set up tally stakes
 30.32 Came to the end of a line run North from the corners of Sect. No. 24 & 25. W. D. & fell 18 lbs. st.

North From the corners of Sect. No. 13 & 24 thence North on the East Boundary of J. C. R. D. W. D.

4.70 an old stake set by myself on the line
 18.80 a Water course 6 lbs. wide runs W.
 29.80 a Hickory tree 15 ins. dia. in the line
 29.83 a Water course 10 lbs. wide runs N. W.
 36.50 a Do Do 5 " " " N. W.
 41.60 a White Oak tree 30 ins. dia. in the line
 43.50 a Water course 5 lbs. wide. runs N. W.
 57.40 a Do. Do. 4 " " " N. W.
 80.00 over land rising & falling in ridges but not very steep may be termed 2^d rate. Timbered with Oak, Hickory &c. set stake at the corners of Sect. No. 12
 N. E. J. C. R. D. W. D. is a White Oak tree 14 ins. dia. bears N. 57° W 12 lbs. dis. & another Oak tree 14 ins. dia. bears N. 66° 38 lbs. dis. Marked &c.
 3 chs. & 80 lbs. North, a stake set by me at corner of Sect. No. 7 & 18. (J. C. R. D. W. D.)

West From the corners of Sect. No. 13 & 24 thence West

8.00 over level land to the beginning of a descent
 15.90 Down the hill to a water course 13 lbs. wide, runs N. W. began immediately to rise another hill
 21.30 a Black Oak tree 18 ins. dia. in the line
 25.50 passed over a hill to a water course 14 lbs. wide, runs N. W.
 26.00 Began to rise steep hill
 33.52 a Black Oak tree 14 ins. dia. in the line
 37.00 Rose the hill
 40.66 Descended on the South side of the hill - came

J. C. R. D. W. 1st Mer

over hilly 3^d rate land, stony & poor soil — Set
 1/2 sec. post at the intermediate dis. a Walnut
 tree 13 ins. dia. bears S 19 W 13 lbs. dis. & a Black
 Oak tree 18 ins. dia. bears N 10 W 24 lbs. dis. —
 Marked 1/2 sec. This 1/2 mile timbered with
 Oak & Hickory

West Continue West

- 4.40 a Hickory tree 14 ins. dia. in the line
 14.00 at this place Tanners creek 5 chains South
 25.00 Rose the side of a hill
 31.45 an Oak tree 20 ins. dia. in the line
 31.52 a small water course 3 lbs. wide runs South
 40.16 Over very hilly 3^d rate land, timbered with Oak & Hickory
 We came to the corners of Sec. Nos. 13, 14, 23 & 24
 (J. C. R. D. W. Dis. from whence a Black Oak tree
 18 ins. dia. bears S 15 E 6 lbs. dis. & a Hickory tree 12 ins.
 dia. bears N 32 W 35 lbs. dis. Marked and numbered
 to the plan.

(West From the corners of Sec. No. 13, 14, 23 & 24, thence
 West to the corners of Sec. No. 14, 15, 22 & 23.

- 7.50 descended a hill to a water course 15 lbs. wide
 runs S 10 E
 10.40 a Sugar tree 16 ins. dia. in the line
 11.60 a water course 3 lbs. wide runs S 10 E
 17.58 a White Oak tree 26 ins. dia. in the line
 27.80 a water course 3 lbs. wide runs S 15 E
 28.56 a White Oak tree 24 ins. dia. in the line
 30.00 Over hilly rough land 3^d rate
 40.05 Over level 2^d rate land, this 1/2 mile timbered with Hickory
 & Oak — Set 1/2 sec. post to White Oak tree 10 ins. dia. bears
 S 57 E 26 lbs. dis. & a White Oak tree 9 ins. dia. bears N
 70 W 24 lbs. dis. — Marked 1/2 sec.

West Continue West

J. C. R. D. W. 1st Mo.

- 7.72 a White Oak tree 15 ins. dia. in the line
 13.22 a Water course 3 lks. wide runs S 29 W
 18.50 a Co. Co. 10 " " " South
 26.50 a White Oak tree 24 ins. dia. in the line - came
 over very rough land.
 37.00 a Water course 5 lks. wide runs S 20 E
 40.05 Over level land, conveniently level. - This is mile
 timbered with Oak, Hickory & Sugar tree - Came
 to the corners of Sec. (No. 14, 15, 22 & 23. from whence
 a Black Oak tree 20 ins. dia. bears S 43 W 17 lks. dis.
 & another Black Oak 16 ins. dia. bears N 31 E 57 lks.
 dis. Marked &c.

West From the corners of Sec. (No. 14, 15, 22 & 23. then see
 West to the corners of Sec. (No. 15, 16, 21 and 22
 J. C. R. D. W. D.

- 6.26 a Black Oak tree 18 ins. dia. in the line
 25.00 over level land
 26.00 Descended a hill
 27.47 a White Oak tree 17 ins. dia. in the line
 31.50 a Water course 7 lks. wide runs S 20 W
 40.18 Over rough hilly land, level. This is mile timbered
 with Oak, Hickory &c. - Set 1/2 sec. post at the
 intermediate distance - a cherry tree 14 ins. dia.
 bears N 43 W 11 lks. dis. & a Black Oak tree 16 ins.
 dia. bears S 24 E 27 lks. dis. Marked 1/2 sec.

West Continue West

- 5.15 a Water course 14 lks. wide runs South
 16.00 over level land, came to Tanner's creek 1/2 chain
 wide, runs South
 18.00 Began to rise a hill
 28.12 a Sugar tree 13 ins. dia. in the hill
 29.32 a Black Oak tree 16 ins. dia. in the line
 32.60 passed over a hill to a Water course 5 lks. wide,
 runs S 50 E

T. C. R. L. W. 1st Mer.

- 35.00 Rose a small hill
 40.18 Over level land, came to the corner of Sec. (Nos. 15, 16, 21 & 22, T. C. R. L. W. 1st Mer. This 1/2 mile may be termed 3rd rate land. Timbed with White Oak, Black Oak, Hickory &c. From the corner stands a White Oak tree 13 ins. dia. bears S 1/2 W 46 lbs. dis. & a Black Oak tree 15 " " " N 25 W 12 lbs. dis.
 Marked to the plan.

West From the corner of Sec. (Nos. 15, 16, 21 & 22, Thence West to the corner of Sec. (Nos. 16, 17, 20 and 21, T. C. R. L. W. 1st Mer.

- 4.76 Down a small hill to a water course 6 lbs. wide runs N 70 E
 5.00 Rising a hill
 8.27 Rose a hill to a Black Oak 18 ins. dia. in the line
 17.68 a White Oak tree 30 ins. dia. in the line
 39.20 a water course 4 lbs. wide runs S 10 E
 39.86 Over land gradually rising & falling, may be termed 2nd rate timber, with Oak, Hickory, Sugar-tree &c. Set 1/2 Sec. post at the intermediate distance a Sugar-tree 10 ins. dia. bears N 77 E 44 lbs. dis. & an Elm tree 7 " " " S 12 W 21 lbs. dis.
 Marked half sections

West Continue West

- 12.25 a White Oak tree 12 ins. dia. in the line
 22.73 a water course 3 lbs. wide, runs South
 25.30 a Sugar tree 15 ins. dia. in the line
 30.50 a water course 7 lbs. wide runs S 22 E
 39.86 Over land conveniently level 2nd rate, well timbed with Oak, Hickory &c. - came to the corners of Sec. (Nos. 16, 17, 20 & 21, T. C. R. L. W. 1st Mer. a Hickory tree 12 ins. dia. bears S 17 W 21 lbs. dis. & another Hickory tree 16 ins. dia. bears N 43 W 46 lbs. dis.
 Marked & numbered to the plan

West From the corners of Sec. No. 20. 21. 16 & 17 thence West
to the corners of Sec. No. 17. 18. 19 & 20.

- 7.62 a Black Oak tree 16 ins. dia. in the line
25.36 " " " 18 " " " "
39.86 Over level land, Timbered with Oak & Hickory.
Set 1/2 sec. post at the intermediate distance, a Hickory
tree 13 ins. dia. bears N 31° W 12 lbs. dis. & a White Oak
tree 24 " " " S 65° E 44 lbs. dis.
Marked half Section.

West Continue West

- 1.25 a Water course 9 lbs. wide runs S 8° E
20.27 a Gum tree 12 ins. dia. in the line
23.50 a Water course 4 lbs. wide runs S 15° W
37.32 a Gum tree 10 ins. dia. in the line
39.87 Over level & rate land, Timbered with Oak, Hickory,
Gum &c. come to the corner of Sec. No. 17. 18. 19 &
20. S. C. R. D. W. Dis a White Oak tree 15 ins. dia. bears
S 28° E 50 lbs. dis. & another White Oak tree 13 ins. dia
bears N 39° W 8 lbs. dis. - Marked and numbered
to the plan

West From the corner of Sec. No. 17. 18. 19 & 20. thence W.

- 15.50 a Water course 10 lbs. wide runs N 15° E
19.20 a White Oak tree 36 ins. dia. in the line
30.18 a " " " 12 " " " "
36.00 a Water course 4 lbs. wide runs N 16° E
40.00 over level land well timbered with Oak, Hickory &
Set 1/2 sec. post, a Hickory tree 10 ins. dia. bears S. W.
37 lbs. dis. & another Hickory tree 12 " " " N. E.
23 lbs. dis. Marked half Sec. & rate

West Continue West

- 8.92 a Hickory tree 14 ins. dia. in the line
10.00 a Small Water course runs N 18° E

J. C. R. I. W. 1st Mer.

24.72 a White Oak tree 20 ins. dia. in the line
 35.10 came to the West side of J.C.R. I. W. 1st Mer. - Set
 stake at the corner of Sec. No. 18 & 19. - a Gum tree
 17 ins. dia. bears N 64° W 27 lbs. dist. & a White
 Oak tree 14 ins. dia. bears N 86° E 24 lbs. dist.
 Marked &c. - a stake set by Maj^r Chambers
 at the corner of Sec. No. 13 & 24 T. 7. R. 3 - 6 lbs.
 & 68 lbs. North of this - Timber Oak. Hickory &c
 level surface 2nd rate land.

North from the corner of Sec. No. 17. 18. 19 & 20. thence N.
 8.54 a White Oak tree 15 ins. dia. in the line
 27.95 a " " " " 20 " " " " "
 36.57 a Black Oak tree 18 ins. dia. in the line, came over
 level 2nd rate land. begin to descend a hill
 42.00 came to a water-course 10 lbs. wide runs N 60° W
 44.00 Begin to rise a hill
 54.50 a White Oak tree 40 ins. dia. in the line
 80.00 over level 2nd rate land well timbered with White
 Oak, Black Oak, & some Hickory Sugar tree &c. -
 Set stake at the corner of Sec. No. 7. 8. 17 & 18
 J.C.R. I. W. 1st Mer. - a Black Oak tree 17 ins. dia. bears
 N 15° E 31 lbs. dist. & a Hickory tree 10 ins. dia. bears N 12° E
 36 lbs. dist. Marked to the place

East from the corner of Sec. No. 7. 8. 17 & 18 thence East
 & set up tally stakes
 80.12 came to the end of a line run North from the corner
 of Sec. No. 16. 17. 20 & 21. J.C.R. I. W. 1st Mer. & fell
 5 lbs. South.

North from the corner of Sec. No. 16. 17. 84 & 9 thence North
 3.00 Down a small descent to a Water course 40 lbs.
 wide, runs S 55° E
 4.40 a Hickory tree 12 ins. dia. in the line
 18.27 a Water course 4 lbs. wide runs N 80° W

18.50 Came to the foot of a hill passed over a small bottom
 27.50 Rose a steep hill
 42.42 a White Oak tree 32 ins. dia. in the line
 71.02 a Hickory tree 12 " " " " "
 80.00 over-land gradually rising & falling, in small
 ridges. Timbered with Oak & Hickory, much under-
 brush. This mile may be termed 3rd rate land—
 Set post at the corner of Sec. (No. 11. 5. 8 & 9. S. C. R.
 L. W. Dis a Black Oak tree 14 ins. dia. bears N⁶⁰W
 65 lbs. dist. & a White Oak tree 20 " " " N. E
 43 lbs. dist. Marked & numbered &c.

East From the corner of Sec. (No. 8. 9. 16 & 17. thence
 East & set up tally stakes

79.93 Came to the end of a line run North from the
 corners of Sec. (No. 15. 16. 21 & 22 S. C. R. L. W. Dis
 & fell 29 lbs. South from the end of said line

North From the corners of Sec. (No. 9. 10. 15 & 16. thence N.

15.10 a Hickory tree 13 ins. dia. in the line

33.61 a Black Oak tree 13 " " " " "

46.42 a White Oak tree 40 " " " " "

50.23 a Water course 3 lbs. wide runs N⁶⁰W

59.00 a Do Do 4 " " " N⁷⁰W

65.06 a Black Oak tree 20 ins. dia. in the line

80.00 over good 2nd rate land level surface well timbered
 with White Oak, Black Oak, Hickory &c. Dogwood
 undergrowth—Set stake at the corners of Sec. (No.

3. 4. 9 & 10— a White Oak tree 10 ins. dia. bears N⁵³W

50 lbs. dist. & another White Oak tree 18 ins. dia. bears
 N⁶⁰W 43 lbs. dist. Marked &c.

East From the corners of Sec. (No. 9. 10. 15 & 16. thence
 East & set up tally stakes

79.70 Came to a line run North from the corners of
 Sec. (No. 14. 15. 22 & 23, S. C. R. L. W. Dis & fell

J. C. R. D. W. 1st Mea.

10 lks. North from the end of that line

North from the corners of Sec. No. 10, 11, 14 & 15, J. C. R. D.
thence North

14.62 a White Oak tree 13 ins. dia. in the line

16.50 a Water course 4 lks. wide runs S 15° W

45.18 a Black Oak tree 15 ins. dia. in the line

60.53 a Water course 4 lks. wide runs S 30° E

62.00 a White Oak tree 48 ins. dia. in the line

75.32 a " " " 34 " " " "

80.00 over a beautiful flat of Prairie land well timbered
with White Oak, Black Oak, Hickory &c. Set stake
at the corners of Sec. No. 2, 3, 10 & 11, J. C. R. D. W. D.
a White Oak tree 14 ins. dia. bears S 31° E 48 lks. dist.
a Black Oak tree 14 " " " N 56° E 25 " "
Marked & numbered to the plan

East from the corners of Sec. No. 10, 11, 14 & 15, J. C. R. D.
thence East & set up tally stakes

79.01 came to a line run North from the corner of Sec.
No. 13, 14, 23 & 24 & fell 2 lks. South from the end
of said line

North from the corner of Sec. No. 11, 12, 13 & 14, thence N.

4.30 a White Oak tree 12 ins. dia. in the line

7.40 a " " " 36 " " " "

13.00 a Water course 4 lks. wide runs S 30° E

36.93 a Hickory tree 14 ins. dia. in the line

45.00 over land conveniently level, thinly timbered with
Oak, Hickory &c. Prairie land.

45.50 Begin to descend a hill

50.00 Descended the hill to a Water course 5 lks. wide,
near East

50.50 Begin to rise a Hill

66.14 a White Oak tree 60 ins. dia. in the line

80.00 Over Prairie land, rising & falling in small ridges

Timbered with Oak, Hickory, much killed with
fire set stake at the corners of Sect. No. 1. 2. 11 & 12
J. C. R. L. W. D's a White Oak tree 8 ins. dia. bears
N 56° E 11 lks. dis. & a Black Oak tree 14 ins. dia. bears
S 29° W 3 5 lks. dis. Marked and numbered to the
plan.

East From the corners of Sect. No. 11. 12. 13 & 14 thence
East & set up tally stakes
49.80 came to the corners of Sect. No. 12 & 13. J. C. R. L. W. D's
& fell 6 lks. South of the post

North From the corners of Sect. No. 12 & 13. J. C. R. L. W. D's
thence North on the E. boundary of said Township
8.85 a Black Oak tree 16 ins. dia. in the line
12.00 over level land to a gradual descent
25.00 Descended hill to a Water course 4 lks. wide, runs
N 28° E.
27.80 Roped over the point of a hill to another Water
course 5 lks. wide, runs S 80° E. Begin immediately
to rise another hill
29.90 a Sugar tree 12 ins. dia. in the line
33.50 Rose the hill
49.58 a Black Oak tree 12 ins. dia. in the line, came over
land conveniently level, begin a descent
53.60 a small Water course 3 lks. wide runs N 15° E
64.84 a Hickory tree 12 ins. dia. in the line
67.00 over steep hills, descended to the edge of a bottom
71.75 a Lyrus tree 17 ins. dia. in the line
73.50 a Water course 80 lks. wide, runs N 45° E
76.00 in the Water course
80.00 over level land to the foot of a hill, set stake at the
corner of Sect. No. 12 & 1. J. C. R. L. W. D's as Bur
or Swamp Oak tree 14 ins. dia. bears N 77° W 3 9
lks. dis. an Elm tree 7 ins. dia. bears S 69° E 15 lks.
dis. Mk^d to the plan. Variation 4.30 Date land,

J. C. R. D. W. 1st Mer

West From the corners of Sec. (No. 12 & 13. J. C. R. D. W. D's
thence West

- 10.04 a White Oak tree 30 ins. dia. in the line
30.00 over a handsome flat of level land.
32.14 a Sugar tree 10 ins. dia. in the line
33.00 a Water course 3 Mts. wide, runs S 10° W
36.62 a Do Do 4 " " " S 5° E
39.91 Over land gradually rising & falling. This 1/2 mile
timbered with White Oak, Black Oak & Hickory
may be termed 2^d rate land. - Set 1/4 Sec. post. a
White Oak tree 20 ins. dia. bears S 17° W 9 Mts. dis. & another
White Oak tree 24 " " " N 67° W 21 Mts. dis.
Marked 1/4 Sec.

West Continue West

- 5.50 a Water course 4 Mts. wide runs S 45° E
7.63 a Black Oak tree 15 ins. dia. in the line
18.03 a Water course 4 Mts. wide, runs S 50° E
21.00 a Black Oak tree 14 ins. dia. in the line
34.00 a Water course 5 Mts. wide, runs S 53° E
37.54 a White Oak tree 14 ins. dia. in the line
39.91 Came to the corner of Sec. No. 11, 12, 13 & 14. J. C. R.
D. W. D's from whence a Hickory tree 10 ins. dia. bears
N 22° W 50 Mts. dis. & a White Oak tree 10 " " "
S 17° W 13 Mts. dis. This 1/2 mile may be termed
3^d rate land. rising & falling in a succession of
hills timbered with Hickory & Oak

West Continue West to the cor. of Sec. 11, 12, 13 & 14

- 5.12 a Hickory tree 16 ins. dia. in the line
5.40 a Water course runs S 15° E, 3 Mts. wide
12.10 a White Oak tree 13 ins. dia. in the line
22.40 a Water course 7 Mts. wide runs South
26.27 a White Oak tree 18 ins. dia. in the line
39.50 Came over 2^d rate land timbered with Oak

& Hickory, conveniently level - set 7th sec. post
at the intermediate distance, a White Oak tree
14 ins. dia. bears $\bar{S}55^{\circ}W$ 26 lks. dis. & another White
Oak tree 15 ins. dia. bears $N49^{\circ}E$ 29 lks. dis.
Marked &c.

West Continue West

- 10.78 a Black Oak tree 18 ins. dia. in the line
16.62 a Water course 8 lks. wide runs South
27.35 a White Oak tree 16 ins. dia. in the line
30.50 a Water course 9 lks. wide, runs $\bar{S}10^{\circ}E$
39.50 Came to the corner of Sec. No. 14. 15. 10 & 11. J. C. R. J. W. D. passed over 2nd rate land, gradually
rising & falling in ridges convenient for cultivation
Timbered with White Oak, Black Oak, Hickory &c.
from the corner stands a Walnut tree 14 ins. dia.
bears $N49^{\circ}E$ 37 lks. dis. & a Black Oak tree 20 ins.
dia. bears $\bar{S}63^{\circ}W$ 43 lks. dis. Marked and num-
bered to the plan

West From the corner of Sec. No. 14. 15. 10 & 11. J. C. R. J. W. D. thence
West to the corner of Sec. No. 15. 16. 9 & 10

- 2.20 a White Oak 13 ins. dia. in the line
6.25 a Water course 3 lks. wide runs South
18.10 a White Oak tree 15 ins. dia. in the line
39.85 over good 2nd rate land, level surface timbered with
White Oak, Black Oak, Hickory &c. Spice under-
brush - set 7th sec. post a Hickory tree 14 ins. dia.
bears $N57^{\circ}W$ 44 lks. dis. & another Hickory tree
12 ins. dia. bears $\bar{S}42^{\circ}E$ 36 lks. distant.
Marked half Sec.

West Continue West

- 7.33 a Buckeye tree 14 ins. dia. in line. begin a descent
11.15 a stream of water 13 lks. wide runs $\bar{S}15^{\circ}W$
16.00 Rose a Hill

J. C. R. I. W. 1st Mer.

21.00 descended into a small water course runs S 15° W
 21.56 a White Oak tree 18 ins. dia. in the line
 28.62 a Water course 3 lbs. wide runs South
 39.85 Over 3rd rate land, rough hilly surface timber? with Oak
 & Hickory, much small growth. From the corner of Sec.
 No. 15. 16. 9 & 10 a White Oak tree 18 ins. dia. bears S 28° E
 61 lbs. dis. & a W. Oak 12 ins. dia. bears S 19° W 33 lbs. dis.
 Marked & numbered &c.

West From the corner of Sec. (No. 9. 10. 15 & 16. Thence W. to the
 corner of Sec. (No. 8. 9. 16 & 17. J. C. R. I. W. 2nd
 14.93 a Hickory tree 16 ins. dia. in the line
 16.00 Descended an easy hill to a Water course 25 lbs. wide runs S 21° W
 17.15 Begin to descend steep hill
 22.00 Rose the hill
 29.73 a White Oak tree 26 ins. dia. in the line
 37.83 a Water course 3 lbs. wide runs South
 39.96 over rough hilly 3rd rate. Timber? with Oak & Hickory
 Set 1/2 sec. post, a Black Oak tree 16 ins. dia. bears S 7° W
 40 lbs. dis. & a Hickory tree 16 ins. dia. bears S 14° E 28 lbs.
 dist. Marked half sections

West Continue West. Commence rising a hill
 6.44 a Hickory tree 15 ins. dia. in the line
 7.25 a Water course 3 lbs. wide S 10° E having passed over a hill
 7.50 Begin to rise another hill
 15.50 a Hickory tree 17 ins. dia. in the line
 31.03 a White Oak tree 16 ins. dia. in the line descending a hill
 35.00 down the hill to a Water course 50 lbs. wide runs S 30° E
 36.00 Rising a hill
 39.96 Came to the corner of Sec. No. 8. 9. 16 & 17. J. C. R. I. W. from
 the corner stands a Sugar tree 8 ins. dia. bears S 76° E 31 lbs
 dis. & a Sugar tree 9 ins. dia. bears S 12° W 22 lbs. dist.
 Marked to the plan. This 1/2 mile 3rd rate land, rough &
 hilly. Timber? with Hickory, Sugar-tree &c.

West From the corner of Sec. No. 8, 9, 16 & 17 thence W. on the line run to the Cor. of Sec. 7, 8, 17 & 18. J. C. R. D. W. Discommence rising a hill

- 2.26 a White Oak tree 24 ins. dia. in the line
 10.00 rose the hill
 16.45 a White Oak tree 24 ins. dia. in the line
 27.64 a Hickory tree 20. " " " "
 35.00 over level land to a descent
 40.06 Down an easy descent to a water course 18 lbs. wide, runs N 50 E, set $\frac{1}{2}$ sec. post in the water course, a Walnut tree 12 ins. dia. bears N 6 W 42 lbs. dia. & a Hickory tree 13 ins. dia. bears S 5 W 65 lbs. dia. - Marked $\frac{1}{2}$ Sec.
 (This is mile 2^d. rate land)

West Continue West

- 0.50 Begin to rise an easy ascent
 3.58 Rose the hill, a White Oak tree 30 ins. dia. in the line
 7.00 a Water course 5 lbs. wide runs South
 18.34 a White Oak tree 13 ins. dia. in the line
 27.38 a Black Oak tree 36 " " " "
 40.06 Over land conveniently level, Timbered with Oak & Sugar tree, Hickory &c. Spruce under brush, 2^d rate land, came to the corner of Sec. (No. 7, 8, 17 & 18. J. C. R. D. W. Dis from which a B. Oak tree 17 ins. dia. bears N 5 E 31 lbs. dia. & a Hickory tree 10 ins. dia. bears N 5 E 36 lbs. dia. Marked &c.

West From the corners of Sec. No. 7, 8, 17 & 18. thence West

- 14.00 a White Oak tree 14 ins. dia. in the line
 26.18 a White Oak tree 22 " " " "
 40.00 over a level flat of land, 2^d rate, Timbered with Oak, Hickory &c. Dogwood under brush. Set $\frac{1}{2}$ sec. post, a *Larix* tree 10 ins. dia. bears N 35 E 25 lbs. dia. & a Gum tree 7 ins. dia. bears S 36 W 50 lbs. dia. Marked &c.

West Continue West

- 3.58 a Black Oak tree 16 ins. dia. in the line

S. C. R. D. W. 1st Mer.

- 13.07 a White Oak tree 18 ins. dia. in the line
 28.64 a Water course 4 lbs. wide, runs S 15 E
 35.00 Came to the W. Boundary of S. C. R. D. W. Dis. - Set
 stake at the corner of Sec. No. 7 & 18, a Black Oak tree
 20 ins. dia. bears S 49 W 16 lbs. dis. & a White Oak tree
 16 " " " N 28 E 34 lbs. dis.; 683 lbs. North
 a stake set by D. Chambers. This line level, Timber
 Oak, Hickory &c. State land.

North From the corner of Sec. No. 7 & 18, S. C. R. D. W. Dis
 thence North

- 7.00 a Water course 5 lbs. wide, runs N 75 E
 17.08 a White Oak tree 13 ins. dia. in the line
 45.00 over level State land, timbered with Oak, Sugar &c.
 46.00 Begin to descend a hill
 54.70 Descend hill to a Water course 10 lbs. wide runs N 20 E
 57.20 a Sugar tree 16 ins. dia. in the line
 61.70 Came to a stream of water 25 lbs. wide, runs S 70 E
 62.00 Begin to rise a hill
 66.20 a Walnut tree 13 ins. dia. in the line
 70.00 Rose a gradual ascent
 80.00 over level land, this mile timbered with Hickory,
 Oak, Sugar tree &c. State land, Set stake at the corner
 of Sec. No. 5 & 6, 7 & 18, S. C. R. D. W. Dis. - a Gum tree
 14 ins. dia. bears N 47 E 47 lbs. dis. & a White Oak tree
 44 " " " S 46 W 46 lbs. dis. - Marked &
 numbered to the plan

West From the corner of Sec. No. 5 & 6, 7 & 18. Thence West

- 14.03 a Black Oak tree 16 ins. dia. in the line - Came
 over small broken ridges
 X X X X X X
 15.00 Begin to descend an easy descent
 21.50 Descended to a stream of water 30 lbs. wide, S 50 E
 24.00 Began to rise a hill upon the N. side
 33.97 a Black Oak tree 12 ins. dia. in the line

40.00 on the N. side of a hill. This is mile 3^d rate land.
 Lumbered with Oak, Hickory & Sugar tree, set $\frac{1}{2}$ sec.
 post, a sugar tree 15 ins. dia. bears N 45° W 19 lbs. dis
 & another Sugar tree 12 .. " " S 11° E 21 .. "
 Marked $\frac{1}{2}$ sec.

West Continue West

5.15 Descended a hill to a water course 4 lbs. wide - N 5° E
 5.30 Begin to rise a hill
 10.00 Pass the hill
 16.10 a mulberry tree 12 ins. dia. in the line
 16.70 a small water course runs N 26° E
 22.35 a White Oak tree 18 ins. dia. in the line
 35.20 Came to the W. Boundary of J. C. R. D. W. 1st,
 Set stake at the corner of Sec. No. 6 & 7 - a White
 Oak tree 15 ins. dia. bears N 11° W 18 lbs. dis, & another
 White Oak tree 24 ins. dia. bears S 27° E 27 lbs. dis.
 Marked &c. - 2.32. North stands a stake set
 at corners of Sec. No. 1 & 12. T. 4. R. 3. W. 1st. Came
 over land of an easy changing surface, Timber
 Oak, Hickory, Sugar tree &c. 2^d rate

North From the corners of Sec. No. 5. 6. 7 & 8. J. C. R. D. W. 1st
 thence North

15.28 a White Oak tree 14 ins. dia. in the line
 24.00 over level land
 29.95 Descended to a water course 4 lbs. wide, runs E.
 30.10 Begin to rise a hill
 41.20 a White Oak tree 48 ins. dia. in the line
 44.50 passed over the hill to a stream of water 30 lbs. wide,
 runs S 70° W.
 46.50 Begin to rise a steep hill
 52.00 Pass the hill
 77.26 a water course 3 lbs. wide, runs S 60° W
 83.25 over handsome 2^d rate land, level surface well timbered
 with White Oak, Black Oak, Hickory &c. 2^d rate

G. C. R. 2. W. 1st Mer

to the N. Boundary of Township - Set stakes at the corner of Sec. No. 5 & 6. T. 6. R. 2. fell 233 lbs. West of a corner made by me at the corner of Sec. No. 31 & 32. T. 7. R. 2. W. Dis - from the corner now made, a Hickory tree 14 ins. dia. bears $S 18^{\circ} W$ 42 lbs. dis. & a White Oak tree 15 " " " $S 17^{\circ} W$ 33 " dis. - Marked & numbered to the plan

East From the corner of Sec. No. 5. 6. 7 & 8. Thence East & set up tally stakes

30.22 Came to the corner of Sec. (No. 4. 5. 8 & 9) T. 6. R. 2. W. Dis & fell 4 lbs. North of the same

West From the corner of Sec. No. 4. 5. 8 & 9. Thence West on the line run to the corner of Sec. No. 5 & 6. 7 & 8. T. 6. R. 2. W. Dis

0.78 a Hickory tree 18 ins. dia. in the line

35.61 a " " 15 " " " " "

40.11 Over Drute land, timbered with Oak, Hickory, Sugar tree &c. surface gradually rising & falling set $\frac{1}{2}$ sec. post, a White Oak tree 12 ins. dia. bears $N 45^{\circ} W$ 36 lbs. dis. & a Sugar tree 8 ins. dia. bears $S 53^{\circ} E$ 27 lbs. dis. Marked $\frac{1}{2}$ sec.

West Continue West

5.11 descended a hill

6.12 a Water course 14 lbs. wide runs South

11.00 Rising a hill

12.00 Rose the hill

17.00 Descended the hill

17.80 a Water course 28 lbs. wide runs $S 15^{\circ} E$

27.00 Rose a hill

35.54 a White Oak tree 24 ins. dia. in the line

40.11 Came to the corner of Sec. No. 5. 6. 7 and 8, T. 6. R. 2. W. Dis

North From the corner of Sec. No. 4. 5. 8 & 9, thence North
 34.95 a Water course 3 lbs. wide runs N 43 E
 35.08 a Green tree 18 ins. dia. in the line
 49.17 a White Oak tree 24 ins. dia. in the line
 50.00 a Water course 4 lbs. wide runs N 33 E
 65.55 a Black Walnut tree 20 ins. dia. in the line
 66.35 a Water course 8 lbs. wide runs N 70 E
 71.46 a Hickory tree 14 ins. dia. in the line
 77.05 a Water course 3 lbs. wide runs N 70 E
 81.10 a Do Do 10 " " " N 34 E
 82.80 Came to the N. Boundary of J. C. R. D. W. 9th
 Set stake at the corner of Sec. No. 4 & 5. J. C. R. D.
 a Black Oak tree 16 ins. dia. bears S 67 W 40 lbs. dis.
 & another Black Oak tree 14 ins. dia. bears N 74 E
 32 lbs. dis. Marked & numbered to the place.
 Full chain & 20 lbs. West of the corners of Sec.
 No. 32 & 33. J. T. R. D. said corner made by me
 The surface of this mile conveniently level
 Timbers with White Oak. Black Oak. Hickory
 &c. good soil for small grain — 2nd rate.

East From the corner of Sec. (No. 4. 5. 9 & 10) thence East
 & set up tally stakes
 78.79 came to a line run North from the corner of Sec.
 No. 9. 10. 15 & 16. & fell 22 lbs. South from the
 end of said line

North From the corners of Sec. (No. 3. 4. 9 & 10) thence N.
 15.20 a White Oak tree 26 ins. dia. in the line
 17.00 a Water course 5 lbs. wide runs S 45 W
 30.81 a Black Oak tree 15 ins. dia. in the line
 35.15 a Water course 3 lbs. wide runs S 60 W
 51.12 a Do Do 5 " " " S 47 W
 52.90 a Black Oak tree 14 ins. dia. in the line
 82.35 Came to the North Boundary of J. C. R. D. W. 9th
 Set stake at the corner of Sec. No. 3 & 4. J. C. R. D. W.

T.C. R. 2. W. 1st Mer.

a White Oak tree 30 ins. dia. bears S 21 E 14 Mrs. dis.
 & another White Oak tree 12 ins. dia. bears N 38 W
 64 Mrs. dis. Marked & numbered to the plan, fell
 86 Mrs. West of an old corner made by me at
 the corner of Sec. No. 33 & 34 T. 7. R. 2 W. Dis.
 This mile may be termed good 2nd rate land,
 well timbered with White Oak, Black Oak, Hickory
 &c., surface gradually rising & falling, convenient
 ridges for cultivation. 2nd rate.

East From the corner of Sec. No. 3. 4. 9 & 10. Thence East
 & set up tally stakes
 78.86 Came to the line run North from the corner of Sec.
 No. 10. 11. 14 & 15 & fell 27 Mrs. South of the end of
 that line

North From the corner of Sec. No. 2. 3. 10 & 11 thence North
 8.50 a White Oak tree 50 ins. dia. in the line
 10.00 over level land
 31.72 a Water course 3 Mrs. wide, runs N 50 E
 38.50 a White Oak tree 24 ins. dia. in the line
 45.80 a Water course 3 Mrs. wide runs N 38 E
 48.27 a Black Oak tree 18 ins. dia. in the line
 53.50 a Water course 3 Mrs. wide runs S 70 E
 82.24 Came to the N. Boundary of T.C. R. 2. W. Dis.
 Set stake on the old line at the corner of Sec. No.
 2 & 3. T.C. R. 2. W. Dis. a Hickory tree 22 ins. dia.
 bears N 56 W 27 Mrs. dis. & another Hickory tree 8 ins.
 dia. bears S 64 E 11 Mrs. dis. Marked & numbered to
 the plan - Fell 96 Mrs. West of the corners of Sec.
 No. 34 & 35. T. 7. R. 2. W. Dis. This mile is composed
 of small hills or ridges not very steep, thinly timb.
 with with Oak & Hickory, may be termed 3rd rate.

East From the corner of Sec. No. 2. 3. 10 & 11. Thence
 East & erect tally stakes

J. C. R. D. W. 1st Mo. 1.

78.80 Came to a line run North from the corner of Sec. No. 11, 12, 13 & 14 T. 6. R. 2. W. D. & fell 7 lbs. South from the corners of Sec. No. 1, 2, 11 & 12.

North From the corner of Sec. No. 1, 2, 11 & 12 thence North commenced on an easy descent to the North

5.00 a White Oak tree 24 ins. dia. in the line

9.50 a Water course 3 lbs. wide runs N 38 E

28.74 a White Oak tree 40 ins. dia. in the line, came over rough land.

29.50 Begin to descend a hill

36.00 Down a hill to a Water course 12 lbs. wide, runs N 15 E

39.57 a Hickory tree 14 ins. dia. in the line

45.00 over a small hill to a bottom

50.00 came to a fork of Tanner's creek 8 lbs. wide, runs N 66 E

52.00 Begin to rise a Hill

65.20 a Sugar tree 12 ins. dia. in the line

65.77 a Water course 5 lbs. wide runs S 30 W

81.00 a Do Do to " " " S 32 W

82.42 came to the North Boundary of J. C. R. D. W. D.
This mile 3rd rate land, composed of hills, thinly timbered with Oak, Hickory Sugar tree &c. much underbrush. Set stake at the corner of Sec. No. 1 & 2
J. C. R. D. a Sugar tree 9 ins. dia. N 46 E 46 lbs. dia. & another Sugar tree 12 ins. dia. bears N 46 W 26 lbs. dia. Marked & numbered to the place. Fell 1 lb. & 31 lbs. West of an old corner made by me for corner of Sec. No. 35 & 36 T. 7. R. 2. W. D.

East From the corner of Sec. No. 1, 2, 11 & 12. thence East & set up tally stakes

80.22 came to a corner run North from the corner of Sec. No. 12 & 13 & fell 7 lbs. North from the end of said line

T. C. R. L. W. 1st Mer.

West From the corner of Sec. No. 1 & 12 thence West to the corner of Sec. No. 1. 2. 11 & 12. T. C. R. L. W. L. Co.

3.72 came to a branch of Tanner's creek 1.20 Mrs. wide, runs S 36 E

15.70 a White Oak tree 26 ins. dia. in the line

22.00 a Water course 11 Mrs. wide runs North

32.60 a Hickory tree 12 ins. dia. in the line

40.11 over uneven broken land, timbered with Oak, Hickory &c. may be termed 3^d rate land. Set 1/2 sec. post at the intermediate distance, a Hickory tree 12 ins. dia. bears N 11 E 13 Mrs. dis. & a Sugar-tree 8 ins. dia. bears N 11 E 33 Mrs. dis. - Marked 1/2 sec.

West Continue West

2.60 a Water course 6 Mrs. wide runs N 50 W

4.36 a Hickory tree 14 ins. dia. in the line

16.00 a Water course 10 Mrs. wide runs N 6 E - 1st began immediately to rise a hill

22.00 a Hickory tree 10 ins. dia. in the line

26.00 Passed over very rough hilly land, timbered with Oak, Hickory Sugar tree &c. chiefly killed by fire

40.11 Passed over 2^d rate land gradually rising & falling. Timbered with Oak, Hickory, Sugar-tree &c. This 1/2 mile taken in general view, may be termed 3^d rate land, came to the corners of Sec. No. 1. 2. 11. & 12. T. C. R. L. W. L. Co. from whence stands a White Oak tree 8 ins. dia. bears N 56 E 11 Mrs. dis. & a Black Oak tree 14 ins. dia. bears S 29 W 35 Mrs. dis. Marked & numbered.

West From the corner of Sec. No. 1. 2. 11 & 12. thence West to the corner of Sec. No. 2. 3. 10 & 11. T. C. R. L. W. L. Co.

8.12 a White Oak tree 14 ins. dia. in the line

14.56 a White Oak tree 26 " " " " "

19.40 a Water course 3 Mrs. wide, runs N 10 W

24.00 a Black Oak tree 12 ins. dia. in the line

39.40 over 2^d rate land, gradually rising & falling, timbered

with Oak, Hickory, Sugar tree &c. Set $\frac{1}{2}$ sec. post
a Sugar tree 15 ins. dia. bears N 9 W 23 lbs. dis. &
another Sugar tree 13 ins. dia. bears S 16 E 47 lbs. dis.
Marked $\frac{1}{2}$ Sec.

West Continued West

- 1.52 a Water course 5 lbs. wide runs N 22 E
20.24 a Hickory tree 11 ins. dia. in the line
27.31 a Black Oak tree 13 " " " "
39.40 Over handsome 2nd rate land, level surface well tim-
bered with White Oak, Black Oak & Hickory - Came
to the corners of Sec. P. No. 2, 3, 10 & 11. J. C. R. L. W. Dis.
from whence a White Oak tree 11 ins. dia. bears S 31 E
48 lbs. dis. & a Black Oak tree 14 " " " N 56
25 lbs. dis. Marked & numbered to the place

West From the corners of Sec. P. No. 2, 3, 10 & 11 thence West
to the corners of Sec. P. No. 3, 4, 9 & 10.

Commence on level land.

- 14.94 a Gum tree 16 ins. dia in the line
21.00 a White Oak tree 20 ins. dia. in the line
29.66 a Water course 12 lbs. wide runs South
39.43 Came over good 2nd rate land, well timbered with Hickory
Oak &c. Set $\frac{1}{2}$ sec. post at the intermediate distance
a White Oak tree 15 ins. dia. bears S 14 E 43 lbs. dis.
& a Sassafras tree 10 " " " N 13 W 12 " "
Marked $\frac{1}{2}$ Sec.

West Continued West

- 1.61 a Maple tree 13 ins. dia. in the line
20.27 a Black Oak tree 20 ins. dia. in the line
24.08 a Water course 3 lbs. wide runs S 5 E
26.22 a Hickory tree 16 ins. dia. in the line
39.43 Came to the corner of Sec. P. No. 3, 4, 9 & 10. J. C. R.
L. W. Dis. passed over level land 2nd rate, timbered with
White Oak & Black Oak - from the corner stands a

J. C. R. J. W. 1st Mer.

White Oak trees 10 ins. dia. bears N 33 W 50 lbs. dis. &
another White Oak tree 18 ins. dia. bears N 6 W 43 lbs.
dis. Marked & numbered to the plan

West From the corner of Sec. P. No. 3. 4. 9 & 10. Thence West to
the corners of Sec. P. No. 4. 5. 8 & 9. J. C. R. J. W. Dis.

- 3.00 a Water course 3 lbs. wide, runs S 15 W
6.00 a Sugar tree 13 ins. dia. in the line
10.20 a Water course 5 lbs. wide runs South
16.79 a White Oak tree 15 ins. dia. in the line
24.00 a Water course 20 lbs. wide runs S 5 E
32.40 a Do Do 4 " " " S 5 E
39.39 over hilly & waste land, timbered with Oak, Hickory &
Sugar tree - Set 1/2 sec. post at the intermediate distance
a Mulberry tree 7 ins. dia. bears N 7 E 8 lbs. dis. & a
Black Oak tree 13 ins. dia. bears N 7 W 11 lbs. dis.
Marked 1/2 sec.

West Continue West

- 8.53 a White Oak tree 40 ins. dia. in the line
22.70 a Black Oak tree 26 " " " " "
32.16 a " " " 18 " " " " "
39.39 came to the corners of Sec. P. No. 4. 5. 8 & 9. J. C. R. J. W. Dis.
passed over waste land, gradually rising & falling -
timbered with Oak, Hickory & some Sugar tree.

North From the corner of Sec. P. No. 1 & 12. J. C. R. J. W. Dis.
thence North on the Township line

- 4.50 came to a stake set by me
14.00 Rose a hill
16.00 Begin to descend again
21.00 a small Water course, runs S 32 W
24.66 a White Oak tree 26 ins. dia. in the line.
32.03 a " " " 13 " " " " "
52.50 a Water course 4 lbs. wide, runs S 5 E
55.89 a Buckeye tree 12 ins. dia. in the line

68.80 Came to a Water course 25 lks. wide, runs S³⁰E
 82.50 Came to the N. East corner of J. C. R. L. W. L's.
 from which stands a Hickory tree 6 ins. dia. bears
 S³³E 8 lks. dis. & an Elm tree 6 ins. dia. bears N³⁰W
 36 lks. dis. Marked Sec. 3rd rate

East From the corner of Sec. No. 5 & 6. J. C. R. L. W. L's.
 thence East

79.61 Came to the corners of Sec. No. 4 & 5. J. C. R. L. W. L's

East From the corners of Sec. No. 4 & 5 thence East

79.20 Came to the corners of Sec. No. 3 & 4

East From the corners of Sec. No. 3 & 4 thence East

78.80 Came to the corner of Sec. No. 2 & 3. J. C. R. L. W. L's

East From the corner of Sec. No. 2 & 3 thence East

79.30 Came to the corner of Sec. No. 1 & 2

East From the corner of Sec. No. 1 & 2 thence East

80.72 Came to the N. East corner of J. C. R. L. W. L's

West From the N. East corner of J. C. R. L. W. L's thence
 West

8.60 Down a descent to a Water course 20 lks. wide, runs S³⁰E

8.37 a Sycamore tree 18 ins. dia. in the line

32.00 a Hickory tree 20 " " " " "

40.36 over rough hilly land, timbered with Oak, Hickory, Sugar
 tree &c. 3rd rate land. Set post at intermediate distance
 a Walnut tree 10 ins. dia. bears S¹⁶E 13 lks. dis. &
 a Sugar tree 19 ins. dia. bears N³⁴E 19 " "
 Marked 1/2 sec.

West Continue West

6.56 an Elm tree 12 ins. dia. in the line

38.62 a Water course 18 lks. wide, runs S¹⁰W

T. C. R. 2. W. 1st Mer.

- 37.80 a Water course 6 Mts. wide runs S 58° W
 40.36 came to the corner of Sec. No. 142. T. C. R. 2. W. 1st.
 passed 1 chain 436 Mts. by a stake at corner of Sec.
 No. 35 & 36. T. 1. R. 2. W. 1st. from corner of Sec. No.
 No. 142. a Sugar tree 9 ins. dia. bears N 47° E 46 Mts.
 dis. & another Sugar tree 12 ins. dia. bears N 46° W 26
 Mts. dis. This line hilly 3rd rate land. timber Oak &
 Hickory

West From the corner of Sec. No. 142. T. C. R. 2. W. 1st.
 thence West

- 21.62 a Hickory tree 15 ins. dia. in the line
 24.06 a Water course 30 Mts. wide, runs S 15° E
 39.65 Set 1/2 sec. post at the intermediate distances a Hickory
 tree bears N 48° W 20 Mts. dis. & another Hickory tree
 10 ins. dia. bears S 58° E 14 Mts. dis. - Marked 1/2 Sec.
 This line rough 3rd rate land. timber Oak, Hickory &c.

West Continue West

- 3.65 a White Oak tree 18 ins. dia. in the line
 31.00 a Hickory tree 15 " " " " "
 38.67 a stake at corner of Sec. No. 34 & 35. T. 1. R. 2. W. 1st.
 39.65 came to the corner of Sec. No. 243 T. C. R. 2. W. 1st.
 from whence a Hickory tree 20 ins. dia. bears N 56° W
 27 Mts. dis. & another Hickory tree 8 ins. dia. bears
 S 65° E 11 Mts. dis. This 1/2 mile hilly 3rd rate land.
 Timber Oak, Hickory &c.

West From the corner of Sec. No. 243. T. C. R. 2. W. 1st.
 thence West

- 11.00 a Walnut tree 18 ins. dia. in the line
 32.25 a White Oak tree 12 " " " " "
 39.40 Set 1/2 sec. post, a Hickory tree 12 ins. dia. bears
 N 53° W 25 Mts. dis. & a White Oak tree 13 ins. dia.
 bears S 76° E 29 Mts. dis. This 1/2 mile 3rd rate land,
 surface uneven, timber Oak, Hickory Sugar tree &c

West Continue West

- 2.20 a Black Oak tree 20 ins. dia. in the line
 27.75 a " " " 16 " " " "
 28.00 a small Water course runs West
 38.52 at stake at the corner of Sec. No. 33 & 34. T. 7. R. 2. W. Dis
 39.40 came to the corner of Sec. No. 3 & 4. T. 6. R. 2. W. Dis
 a White Oak tree 30 ins. dia. bears S 21 E 14 lbs. dis. &
 another White Oak tree 10 ins. dia. bears N 28 W 6 3 lbs. dis.
 marked, this 1/2 mile, conveniently level 2nd rate land.
 Timber Oak, Hickory, Sugar tree &c

West From the corner of Sec. No. 3 & 4. T. 6. R. 2. W. Dis
 thence West.

- 12.30 a Hickory tree 15 ins. dia. in the line
 34.70 a Red Oak tree 20 " " " "
 39.60 set 1/2 sec. post at the intermediate distance, a
 Hickory tree bears N 4 E 12 lbs. dis. & an ash tree
 10 ins. dia. bears S 9 W 14 lbs. dis. Marked 1/2 Sec.
 This line 2nd rate land, timber Oak & Hickory

West Continue West

- 13.15 a White Oak tree 15 ins. dia. in the line
 18.10 a Water course 12 lbs. wide runs S 38 E
 34.04 a Gum tree 18 ins. dia. in the line
 39.60 came to the corner of Sec. No. 4 & 5. T. 6. R. 2. W. Dis
 a Black Oak tree 15 ins. dia. bears S 61 W 40 lbs. dis.
 & another Black Oak tree 13 ins. dia. bears N 74 E 32
 lbs. dis. Marked &c. This mile conveniently level
 timber Oak, Hickory &c. 2nd rate land, came 1 ch.
 & 20 lbs. past a stake at corner of Sec. No. 32 & 33
 T. 7. R. 2. W. Dis

West From the corner of Sec. No. 4 & 5. T. 6. R. 2. W. Dis
 thence West

- 1.60 a Water course 11 lbs. wide runs S 38 E

S. C. R. D. W. 1st Mer.

- 5.10 a Water course 10 Mts. wide runs S⁷E
 36.75 a White Oak tree 18 ins. dia. in the line
 39.82 Set 1/2 sec. post at the intermediate distance,
 a Hickory tree 12 ins. dia. bears N 17 E 20 Mts. dis. &
 a Gum tree bears S⁷E 16 Mts. dis. 13 ins. dia. This
 1/2 mile may be termed 3^d rate. Surface a little broken
 timber Oak, Hickory, Gum &c. 3^d rate

West Continue West

- 0.80 a Black Oak tree 15 ins. dia. in the line
 25.50 a " " " " " " " "
 39.82 Came to the corner of Sec. No. 5 & 6. S. C. R. D. W. Dis
 a Hickory tree 13 ins. dia. bears N 18 E 42 Mts. dis. & a
 White Oak tree 15 " " " S 17 W 33 Mts. distant,
 Marked & numbered to the plan. Passed 2 Mts. &
 30 Mts. by a stake set by me at the corner of Sec. No.
 31 & 32. T. T. R. D. W. Dis. This 1/2 mile 2^d rate land
 conveniently level, timber Oak & Hickory

West From The Corner of Sec. No. 5 & 6. Thence West

- 1.05 a Gum tree 10 ins. dia. in the line
 21.10 a Water course 20 Mts. wide, runs S⁷E
 39.00 a White Oak tree 18 ins. dia. in the line
 40.00 Set 1/2 sec. post, a Black Oak tree bears N 50 E 15
 Mts. dis. & a White Oak tree bears S 55 W 11 Mts. dis.
 Marked 1/2 sec. This line 2^d rate land, timber Oak
 Hickory &c. Marked &c.

West Continue West

- 15.00 a White Oak tree 10 ins. dia. in the line
 36.19 Came to the North West corner of T. No. 6. R. No.
 D. W. Dis. Over land conveniently level, timber
 Oak, Hickory &c.

Surveyed by
 William Ludlow, D. Sur.

T. C. R. D. M. 1st Mer.

335

I certify that the foregoing Transcript
of the Field notes of Township No. 6 Range
No. 2 West of the 1st Mer. has been compared
with the original in this office and found
to be correct.

Surveyor General's office
Cincinnati, Feb. 28. 1841.

O. S. Laines
Sur. Genl.